

For the Period July 7 to 13, 2015

Livestock producers now have 32 per cent of the hay crop cut and 38 per cent baled or put into silage, according to Saskatchewan Agriculture's weekly Crop Report.

Hay quality is rated as four per cent excellent, 48 per cent good, 34 per cent fair and 14 per cent poor. Concerns about a potential hay shortage continue, as many hay swaths are significantly smaller than normal and pasture growth has been limited.

The Ministry of Agriculture has a Forage, Feed and Custom Service listing for producers to advertise and source feed products. It is available at:
<http://www.agriculture.gov.sk.ca/FeedForageListing>

One year ago

Twenty-five per cent of the 2014 hay crop had been cut and 15 per cent had been baled or put into silage. Warm weather was helping crops recover from flooding stress.

Follow the 2015 Crop Report on Twitter @SKAgriculture

SK Crop Development - July 13

	% Ahead	% Normal	% Behind
Fall Cereals	34	59	7
Spring Cereals	17	62	21
Oilseeds	13	60	27
Pulse Crops	22	58	20

Rainfall over the weekend has helped alleviate moisture stress issues in some areas; however, more rain will be needed to help crops fill. Some areas received only small amounts of rainfall while others reported several inches. Topsoil moisture conditions have slightly improved in much of the province. Provincially, topsoil moisture conditions on cropland are rated as one per cent surplus, 44 per cent adequate, 36 per cent short and 19 per cent very short. Hay land and pasture topsoil moisture is rated as 33 per cent adequate, 39 per cent short and 28 per cent very short.

Fifty-nine per cent of fall cereals, 62 per cent of spring cereals, 60 per cent of oilseeds and 58 per cent of pulse crops are at their normal stages of development for this time of year. Crop conditions vary throughout the province, but the majority of crops are in poor-to-good condition. Lack of moisture and insects such as grasshoppers and wheat midge have caused the most crop damage this week.

Farmers are busy controlling pests and cutting hay.

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.



For the Period July 7 to 13, 2015

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Despite lack of growth in many areas, haying continues. Livestock producers now have 30 per cent of the hay crop cut and 44 per cent baled or put into silage. Hay quality at this time is rated as four per cent excellent, 67 per cent good, 25 per cent fair and four per cent poor. Hay

swaths are significantly smaller than normal and many producers are hoping that rain is received soon so that a second cut may be possible.

SE SK Crop Development - July 13			
	% Ahead	% Normal	% Behind
Fall Cereals	35	60	5
Spring Cereals	32	51	17
Oilseeds	28	51	21
Pulse Crops	37	48	15

Rainfall over the weekend was welcome, although showers were spotty in most areas. The Grenfell area reported 56 mm of rainfall, bringing its total received since April 1 to 167 mm.

Topsoil moisture conditions have changed very little despite the rainfall, and they continue to deteriorate due to hot and dry weather. Cropland topsoil moisture is currently rated as one per cent surplus, 43 per cent adequate, 40 per cent short and 16 per cent very short. Hay land and pasture topsoil moisture is rated as 38 per cent adequate, 42 per cent short and 20 per cent very short. Seventy-three per cent of cropland and 74 per cent of hay land and pasture in Crop District 3ASE are very short topsoil moisture at this time. Rain is needed to help crops fill, although in some cases staging is too advanced and moisture may not help.

Crop development varies in the region but the majority of crops are in poor-to-good condition. Some producers are spraying their healthier-looking crops for diseases and insects. The majority of crop damage this week was caused by lack of moisture and insects such as grasshoppers and wheat midge.

Farmers are busy controlling pests and cutting hay.

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

For the Period July 7 to 13, 2015**Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)**

Haying continues in the region as 34 per cent of the hay crop has been cut and 51 per cent baled or put into silage. Hay quality at this time is rated as 42 per cent good, 42 per cent fair and 16 per cent poor. Hay swaths are significantly smaller than normal and many producers are hoping that rain is received soon so that a second cut may be possible.

SW SK Crop Development - July 13			
	% Ahead	% Normal	% Behind
Fall Cereals	42	52	6
Spring Cereals	20	60	20
Oilseeds	17	60	23
Pulse Crops	27	54	19

Rainfall this past week ranged from trace amounts to 48 mm in the Spring Valley area. Since April 1, the Eastend area has received 145 mm of rainfall, the most for the region. Topsoil moisture conditions have improved slightly, although more rain is needed to help crops fill.

Cropland topsoil moisture conditions are rated as 25 per cent adequate, 39 per cent short and 36 per cent very short, while hay land and pasture topsoil moisture conditions are rated as 19 per cent adequate, 35 per cent short and 46 per cent very short. Crop District 4B is reporting that 80 per cent of cropland and 77 per cent of hay land and pasture are very short topsoil moisture at this time.

Crop development varies in the region but the majority of crops are in poor-to-good condition. Some producers are spraying their healthier-looking crops for diseases and insects. The majority of crop damage this week was caused by lack of moisture, wind and insects such as grasshoppers and wheat midge.

Farmers are busy controlling pests and cutting hay.

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

For the Period July 7 to 13, 2015

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Livestock producers now have 33 per cent of the hay crop cut and 24 per cent baled or put into silage. Feed shortages remain a concern in the region as hay yields are expected to be well below average. Hay quality at this time is rated as three per cent excellent, 47 per cent good, 41 per cent fair and nine per cent poor.

EC SK Crop Development - July 13			
	% Ahead	% Normal	% Behind
Fall Cereals	18	75	7
Spring Cereals	11	75	14
Oilseeds	9	65	26
Pulse Crops	7	85	8

Varying amounts of rainfall fell in the region, helping to alleviate moisture stress in some areas. The Esterhazy area reported 61 mm of rainfall this past week while the Craik area has received 181 mm of rain since April 1. This is the greatest amount for both the region and the province.

Topsoil moisture conditions have slightly improved, although additional rain will be needed to help crops fill and pastures grow. Topsoil moisture conditions on cropland are rated as five per cent surplus, 66 per cent adequate, 26 per cent short and three per cent very short. Hay land and pasture topsoil moisture is rated as two per cent excellent, 56 per cent adequate, 38 per cent short and four per cent very short.

The majority of crops are in poor-to-good condition and crop development varies throughout the region. Some producers are spraying their healthier-looking crops for diseases and insects. Most crop damage this week was caused by lack of moisture, wind, hail and localized flooding.

Farmers are busy controlling pests and cutting hay.

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

For the Period July 7 to 13, 2015**West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)**

Haying continues in the region as 32 per cent of the hay crop has now been cut and 43 per cent baled or put into silage. Many producers have indicated that there is not much hay to bale and yields will be down significantly from previous years. Hay quality at this time is rated as four per cent excellent, 25 per cent good, 42 per cent fair and 29 per cent poor.

WC SK Crop Development - July 13			
	% Ahead	% Normal	% Behind
Fall Cereals	5	66	29
Spring Cereals	15	49	36
Oilseeds	10	50	40
Pulse Crops	7	85	8

Varying amounts of rainfall were received across the region, ranging from trace amounts to 47 mm in the Eyebrow area. Since April 1, the Smiley area has recorded 143 mm of rainfall, the greatest amount for the region.

Topsoil moisture conditions have improved slightly, although additional rain is needed soon to help pastures grow and crops fill. Topsoil moisture conditions on crop land are rated as 31 per cent adequate, 40 per cent short and 29 per cent very short. Topsoil moisture conditions on hay land and pasture are rated as 22 per cent adequate, 38 per cent short and 40 per cent very short. Crop District 7B is reporting that 43 per cent of cropland acres and 51 per cent of hay land and pasture acres are very short topsoil moisture at this time.

Crop development varies through the region but the majority of crops are in poor-to-good condition. Some producers are spraying for diseases and insects as time permits. The majority of crop damage this week was caused by lack of moisture, hail and insects such as grasshoppers, aphids and wheat midge.

Farmers are busy controlling pests and cutting hay.

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

For the Period July 7 to 13, 2015

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Twenty-nine per cent of the hay crop has now been cut and 26 per cent baled or put into silage. Hay quality is currently rated as 14 per cent excellent, 64 per cent good and 21 per cent fair. Recent rain has helped both hay land and pastures grow, although feed shortages remain a concern in the region.

NE SK Crop Development - July 13			
	% Ahead	% Normal	% Behind
Fall Cereals	4	91	5
Spring Cereals	10	71	19
Oilseeds	9	71	20
Pulse Crops	11	75	14

Rain this past week ranged from trace amounts to 47 mm in the Humboldt area. Humboldt has received the greatest amount of rainfall in the region since April 1 (168 mm).

Topsoil moisture conditions have deteriorated slightly in the region. Cropland topsoil moisture conditions are rated as 69 per cent adequate, 22 per cent short and nine per cent very short. Hay land and pasture topsoil moisture is rated as 56 per cent adequate, 34 per cent short and 10 per cent very short.

Crop development varies through the region but the majority of crops are in poor-to-good condition. Many producers are spraying for diseases such as sclerotinia and fusarium head blight as time permits. The majority of crop damage this week was caused by lack of moisture, wind and hail.

Farmers are busy controlling pests and cutting hay.

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

For the Period July 7 to 13, 2015

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Haying is progressing quickly in the area as 28 per cent of the hay has been cut and 21 per cent has been baled or put into silage. Hay quality at this time is rated as five per cent excellent, 47 per cent good, 26 per cent fair and 21 per cent poor. Rainfall would be welcomed to help hay land and pasture grow in the region.

NW SK Crop Development - July 13			
	% Ahead	% Normal	% Behind
Fall Cereals	9	63	28
Spring Cereals	4	74	22
Oilseeds	1	60	39
Pulse Crops	9	69	22

Rainfall this past week ranged from small amounts to 48 mm in the Speers area. Since April 1, the Duck Lake area has received 164 mm of rain, the greatest amount for the region.

Topsoil moisture conditions have improved since last week thanks to the recent rainfall. Cropland topsoil moisture is rated as 37 per cent adequate, 50 per cent short and 13 per cent very short. Hay land and pasture topsoil moisture is rated as 24 per cent adequate, 46 per cent short and 30 per cent very short. Crop District 9B is reporting that 23 per cent of cropland and 38 per cent of hay land and pasture are very short topsoil moisture at this time.

Crop development varies through the region but the majority of crops are in poor-to-good condition. Some producers are spraying healthier-looking crops for diseases. The majority of crop damage this week was caused by lack of moisture, wind and insects such as grasshoppers.

Farmers are busy controlling pests and cutting hay.

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 12, July 16, 2015

For the Period July 7 to 13, 2015

SK (provincial) Crop Conditions - July 13, 2015							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	2	1	5	2	9	5	2
% good	40	25	46	24	53	44	34
% fair	48	50	34	41	29	35	26
% poor	7	24	13	28	8	14	25
% very poor	3	0	2	5	1	2	13
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	3	4	0	2	2	3	3
% good	37	41	27	50	37	34	25
% fair	41	34	41	41	40	43	53
% poor	17	18	21	6	17	18	19
% very poor	2	3	11	1	4	2	0

Southeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	3	3	8	1	8	7	2
% good	60	73	53	22	65	44	41
% fair	29	19	29	50	21	33	49
% poor	7	5	9	26	5	14	7
% very poor	1	0	1	1	1	2	1
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	2	2	0	1	2	5	0
% good	30	39	33	52	48	31	80
% fair	43	34	38	40	39	50	18
% poor	23	23	29	6	10	14	2
% very poor	2	2	0	1	1	0	0

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.



Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 12, July 16, 2015

For the Period July 7 to 13, 2015

Southwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	0	0	2	2	1	1	0
% good	4	7	22	24	26	30	15
% fair	82	61	44	41	50	40	22
% poor	9	32	31	30	22	27	54
% very poor	5	0	1	3	1	2	9
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	0	0	0	0	1	2	0
% good	17	18	25	16	23	27	24
% fair	51	43	40	23	45	45	62
% poor	27	27	20	61	27	24	14
% very poor	5	12	15	0	4	2	0

East-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	4	0	4	3	5	5	0
% good	71	59	63	81	57	59	84
% fair	24	29	29	16	29	29	16
% poor	1	12	4	0	8	6	0
% very poor	0	0	0	0	1	1	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	5	3	0	6	8	3	75
% good	63	54	74	49	64	85	25
% fair	29	32	24	43	24	11	0
% poor	3	10	2	2	4	1	0
% very poor	0	1	0	0	0	0	0

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

For the Period July 7 to 13, 2015

West-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	0	0	1	3	1	3	0
% good	10	18	26	16	23	20	14
% fair	51	66	42	29	52	44	11
% poor	20	13	23	32	21	28	42
% very poor	19	3	8	20	3	5	33
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	0	0	0	0	1	3	0
% good	23	17	16	14	36	36	30
% fair	55	35	51	70	42	42	15
% poor	18	36	27	9	14	17	55
% very poor	4	12	6	7	7	2	0

Northeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	25	0	19	37	19	13	25
% good	43	99	63	43	63	69	45
% fair	30	1	13	15	15	15	20
% poor	2	0	5	5	3	3	10
% very poor	0	0	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	13	16	25	1	15	0	N/A
% good	55	58	42	52	67	50	N/A
% fair	27	17	18	41	17	14	N/A
% poor	3	9	15	6	1	3	N/A
% very poor	2	0	0	0	0	33	N/A

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.



Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 12, July 16, 2015


For the Period July 7 to 13, 2015

	Northwest						
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	0	0	2	N/A	3	3	N/A
% good	50	30	43	N/A	39	31	N/A
% fair	40	20	48	N/A	47	58	N/A
% poor	10	0	7	N/A	11	8	N/A
% very poor	0	50	0	N/A	0	0	N/A
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	0	2	0	N/A	0	0	N/A
% good	55	30	0	N/A	50	46	N/A
% fair	45	53	0	N/A	41	17	N/A
% poor	0	14	50	N/A	4	19	N/A
% very poor	0	1	50	N/A	5	18	N/A

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.




Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

from July 7 to July 13, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period July 7 to 13, 2015


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	20	159	4A	49	White Valley	4	145	7A	287	St. Andrews	N/A	109
	3	Enniskillen	11	157		51	Reno	1.29	104		288	Pleasant Valley	11	94
	33	Moose Creek	N/A	170		79	Arlington	NIL	116		290 A	Kindersley	6	69
	34	Browning	15	125		109 A	Carmichael	2	63		290 B	Kindersley	16.69	93
	61	Antler	N/A	136		109 B	Carmichael	N/A	49		290 C	Kindersley	N/A	2
	63	Moose Mountain	2	124		110	Piapot	9	43		292	Milton	N/A	71
	64	Brock	1	117		111	Maple Creek	N/A	31		317 A	Marriott	10	87
	65	Tecumseh	5	102	4B	139	Gull Lake	3	57		317 B	Marriott	47	125
1B	91	Maryfield	3	133		142	Enterprise	15.23	107		318	Mountain View	10	88
	122	Martin	5	165		169	Pittville	N/A	31		320 A	Oakdale	4.5	72
	123	Silverwood	4	133		231	Happyland	4	26		320 B	Oakdale	3	53
	124	Kingsley	8	110		183 B	Fertile Belt	61	167		321	Prairiedale	46	143
	125 A	Chester	54	160	5A	186	Abernethy	20	100	7B	347	Biggar	13	81
	125 B	Chester	6	120		211	Churchbridge	47	135		350 A	Mariposa	9	44
	151 A	Rocanville	22	148		213	Saltcoats	45	162		350 B	Mariposa	7	62
	154	Elcapo	4	100		216	Tullymet	N/A	62		351	Progress	NIL	48
	155 A	Wolseley	56	167		241	Calder	39	106		352	Heart's Hill	31	77
2A	67	Weyburn	10	81		243	Wallace	18	97		377	Glenside	17	81
	68	Brokenshell	10	82		244	Orkney	36	103		378 B	Rosemount	15	82
	97	Wellington	19	92		245 A	Garry	30	90		379	Reford	10	44
2B	127 A	Francis	26.5	101		245 B	Garry	26	96		381	Grass Lake	18	45
	127 B	Francis	7	47		245 C	Garry	44	126		382	Eye Hill	18	38
	129	Bratt's Lake	10	41		246	Ituna Bon Accord	40	88		409	Buffalo	2	33
	131 A	Baildon	38	85		247	Kellross	33	80	8A	410	Round Valley	17.5	75
	131 B	Baildon	8	52		248	Touchwood	13	70		395	Porcupine	NIL	55
	156 A	Indian Head	15	66		271	Cote	31	83		397	Barrier Valley	0.2	107
	156 B	Indian Head	14	161		273	Sliding Hills	47	79		428	Star City	N/A	176
	160 A	Pense	13	23		277	Emerald	2	57		456	Arbortield	3	135
	161	Moose Jaw	9	69	5B	305	Invermay	11	99		457	Connaught	2	98
	162	Caron	12	44		307	Elfros	19	77		486	Moose Range	NIL	105
	191	Marquis	25	79		308 A	Big Quill	24	82		487	Nipawin	2	129
3ASE	38 A	Laurier	1	63		308 B	Big Quill	58	91	8B	369	St. Peter	13	106
	38 B	Laurier	1	58		331	Livingston	4	73		370 A	Humboldt	47	168
	39 A	The Gap	12	93		336	Sasman	12	58		370 B	Humboldt	29	114
3ASW	10	Happy Valley	N/A	75		337	Lakeview	52	146		371	Bayne	23	126
	12	Poplar Valley	N/A	116		338	Lakeside	48	113		372	Grant	6.3	113
	40 A	Bengough	N/A	N/A		366	Kelvington	12	110		400	Three Lakes	24	100
	40 B	Bengough	21	81		367	Ponass Lake	12	128		402	Fish Creek	11	106
	42	Willow Bunch	8	93	6A	190 A	Dufferin	N/A	101		429	Flett's Springs	NIL	121
	43	Old Post	10	81		190 B	Dufferin	25	117		459	Kinistino	N/A	137
	70	Key West	N/A	25		190 C	Dufferin	40	94		460	Birch Hills	NIL	78
	73 A	Stonehenge	17.99	110		190 D	Dufferin	30	94	9AE	488	Torch River	NIL	109
	73 B	Stonehenge	12	109		219 A	Longlaketon	8	97		520	Paddockwood	15	80
3AN	101	Terrell	48	85		219 B	Longlaketon	36	95		521	Lakeland	15	80
	102	Lake Johnstons	15.5	61		220	Mckillop	17	96	9AW	406	Mayfield	8	81
	103	Sutton	N/A	91		221	Sarnia	9.39	102		435	Redberry	25	154
	132 A	Hillsborough	21	144		222	Craik	58	181		436	Douglas	48	127
	132 B	Hillsborough	22	85		251	Big Arm	13	139		463	Duck Lake	42	164
	134	Shamrock	N/A	32		252	Arm River	44	156		467 A	Round Hill	20	85
	193 A	Eyeblow	36	133		279	Mount Hope	N/A	59		467 B	Round Hill	30	86
	193 B	Eyeblow	17	122		282	McCraney	25	137	9B	438	Battle River	40	85
3BS	17	Val Marie	13.75	66		312	Morris	3	41		440	Hillsdale	6	66
	75 A	Pinto Creek	30	140		313	Lost River	N/A	98		442	Manitou Lake	0.8	61
	75 B	Pinto Creek	N/A	43		339	Leroy	11.8	120		498 A	Parkdale	13.5	93
	76	Auvergne	N/A	101		340	Wolverine	34	111		498 B	Parkdale	9	76
	77	Wise Creek	9	93		341	Viscount	N/A	101		499 A	Mervin	22	99
	78	Grassy Creek	7	111		343 A	Blucher	N/A	115		499 B	Mervin	30.47	31
	105	Glenbain	10	101		343 B	Blucher	N/A	65		501 A	Frenchman Butte	14	112
	106	Whiska Creek	20	106	6B	223	Huron	47	61		501 B	Frenchman Butte	3	60
	107	Lac Pelletier	6.5	75		284	Rudy	23	142		501 C	Frenchman Butte	10	85
	108	Bone Creek	12	69		285	Fertile Valley	36	119		502	Britannia	6	55
3BN	138 A	Webb	1	93		286	Milden	N/A	71		561	Loon Lake	38	95
	138 B	Webb	N/A	56		314	Dundurn	3.5	102		588 A	Meadow Lake	28	106
	166	Excelsior	38	86		344	Corman Park	NIL	51		588 B	Meadow Lake	N/A	N/A
	167	Sask. Landing	23	91		346	Perdue	23	73		588 C	Meadow Lake	15	72
	168 A	Riverside	4	54		376	Eagle Creek	12	84		622	Beaver River	3	73
	168 B	Riverside	5.59	47		403	Rosthern	12	71					
	226	Victory	N/A	75										
	228	Lacadena	7	49										
	257	Monet	8	38										

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B and C - more than one reporter

Cumulative Rainfall


from April 1 to July 13, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Cropland Topsoil Moisture Conditions


July 13, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay and Pasture Topsoil Moisture Conditions

July 13, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.