

## For the Period June 7 to 13, 2016

Seeding in Saskatchewan is expected to be completed this week, according to Saskatchewan Agriculture's weekly Crop Report. While there are few fields of oats and flax, as well as some greenfeed and silage, being seeded at this time, 99.5 per cent of the crop is in the ground. The five-year (2011-2015) average for this time of year is 94 per cent seeded.

Topsoil moisture conditions on cropland are rated as four per cent surplus, 85 per cent adequate, nine per cent short and two per cent very short. Hay land and pasture topsoil moisture is rated as two per cent surplus, 80 per cent adequate, 14 per cent short and four per cent very short. There are both shortages and surpluses of topsoil moisture in the province. In crop districts 1A and 2B, 23 per cent of cropland has surplus topsoil moisture; in Crop District 9B, 31 per cent of cropland is short topsoil moisture.

Another warm week has resulted in excellent crop growth. Overall across the province, 60 per cent of the fall cereals, 75 per cent of the spring cereals and 73 per cent of the oilseeds are at their normal stages of development for this time of year. The majority of the crops are in excellent-to-good condition. Rainfall was recorded throughout most of the province, with the southeastern, southwestern and east-central regions recording the greatest amounts. Areas in the drier northwest also received much-needed rain this week.

**One year ago**  
Rain showers helped to relieve dry conditions in much of the province. More moisture was needed to help hay, pasture and crops develop.

Follow the 2016 Crop Report on Twitter @SKAgriculture

Seeding Progress in SK Per cent seeded All Crops	
June 13, 2016	<b>100</b>
June 13, 2015	100
June 14, 2014	95
June 10, 2013	96
June 11, 2012	96
June 13, 2011	82
<b>5 year avg. (2011-2015)</b>	<b>94</b>
<b>10 year avg. (2006-2015)</b>	<b>93</b>

Provincial Crop Development			
	% Ahead	% Normal	% Behind
Fall Cereals	39	60	1
Spring Cereals	17	75	8
Oilseeds	17	73	10
Pulse Crops	20	73	7

Windy conditions have hampered weed control operations in many areas of the province. Cutworms and disease are causing crop damage in some areas. Producers are busy controlling weeds and insects and getting prepared for haying.

For further information, contact Daphne Cruise, PAg,  
Cropping Management Specialist, Moose Jaw, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-694-3587, E-mail: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [www.agriculture.gov.sk.ca](http://www.agriculture.gov.sk.ca).

### **Southeastern Saskatchewan:**

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville and Lake Alma areas

Seeding is pretty well wrapped up for the year. A few fields of oats and flax are still being seeded. The five-year (2011-2015) seeding average for this time of year is 84 per cent (2011 was an extremely wet year for the southeast and at this time in 2011, only 44 per cent had been seeded and many acres were left unseeded).

Rainfall across the region ranged from 7 mm (Stoughton area) to 39 mm (Alameda area). Ceylon, Moosomin and Grenfell (25 mm), Radville (24 mm), Indian Head and Moose Jaw (20 mm) also received large amounts of rain.

<b>Southeast Crop Development - June 13, 2016</b>			
	% Ahead	% Normal	% Behind
Fall Cereals	68	32	0
Spring Cereals	32	61	7
Oilseeds	30	57	13
Pulse Crops	35	57	8

Topsoil moisture conditions are rated as 16 per cent surplus, 82 per cent adequate and two per cent short on cropland. Heavy rainfall over the past few weeks in much of the region has left standing water in fields. Crop districts 1A and 2B are reporting 23 per cent of cropland has surplus topsoil moisture. Hay land and pasture topsoil moisture is rated as nine per cent surplus, 89 per cent adequate and two per cent short.

Overall, emerging crops are in good condition and development is normal for this time of year. Some areas, particularly around Moosomin, Lampman and Ceylon, have submerged crops that are not expected to recover due to frequent precipitation. The majority of crop damage this week was due to flooding. Crop disease is causing damage as well.

Farmers are busy controlling weeds and getting ready for haying.

### **Southwestern Saskatchewan:**

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Farmers in the region have completed seeding for the most part. A few fields of oats and barley are still being seeded at this time. The five-year (2011-2015) seeding average for this time of year is 95 per cent.

Rainfall in the region ranged from 3 mm to 51 mm (Rockglen area). The Mortlach and Maple Creek areas received 20 mm, while the Hazenmore and Swift Current areas received 5 mm and 4 mm, respectively. Cropland topsoil moisture is rated as 95 per cent adequate and five per cent short. Hay land and pasture

<b>Southwest Crop Development - June 13, 2016</b>			
	% Ahead	% Normal	% Behind
Fall Cereals	28	73	0
Spring Cereals	15	80	5
Oilseeds	11	86	3
Pulse Crops	21	74	5

topsoil moisture is rated as 91 per cent adequate and nine per cent short.

The majority of crops are in good-to-excellent condition. Canola crops have been damaged by cutworms and some are showing stress due to excess moisture in some areas. Most crops are at the normal stage of development. Twenty-one per cent of the pulses are ahead of their normal stage of development for this time of year. Haying has started in the region, and most producers are optimistic about this year's hay crop.

Farmers are busy controlling weeds, scouting for disease and preparing for haying.

### East-Central Saskatchewan:

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Only a few fields of oats and flax are left to be seeded in the region. The five-year (2011-2015) seeding average for this time of year is 94 per cent.

Rainfall ranged from nil (Yorkton area) to 39 mm (Elfros area). The Kuroki area received 23 mm, the Goodeve area 20 mm and the Kenaston area 9 mm. Topsoil moisture conditions are rated as two per cent surplus, 90 per cent adequate and eight per cent short. Hay land and pasture topsoil moisture is rated as 87 per cent adequate, 10 per cent short and three per cent very short. In Crop District 6A, 10 per cent of cropland is short topsoil moisture. Areas around Foam Lake and Wynyard received some much-needed rain over the past week, which will help with crop and hay growth. Areas around Humboldt and Bradwell could use some rain at this time.

East-Central Crop Development - June 13, 2016			
	% Ahead	% Normal	% Behind
Fall Cereals	34	61	5
Spring Cereals	17	74	9
Oilseeds	13	76	11
Pulse Crops	12	78	10

The majority of crops are in good-to-excellent condition and development is about normal for this time of year. Thirty-four per cent of the fall cereals, 17 per cent of the spring cereals, 13 per cent of the oilseeds and 12 per cent of the peas are ahead of their normal stages of development for this time of year. Crop damage this week is due to cutworms in canola. Producers are noticing tan spot in cereals and root rots in pulses. Windy conditions have slowed weed control operations for most of the week. Hay crops are ahead of normal in development.

Farmers are busy controlling weeds, scouting fields for insects and disease and preparing for haying.

### West-Central Saskatchewan:

- Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston, Major
- Crop District 7B - Kerrobert, Macklin, Wilkie and Biggar areas

Oats and barley crops are still being seeded in the region; however, the majority of seeding has been completed. The five-year (2011-2015) seeding average for this time of year is 99 per cent.

Rainfall in the region ranged from trace amounts (Tramping Lake area) to 19 mm (Eyebrow area). The Perdue area received 11 mm, the Smiley area 17 mm, the Macklin area 10 mm and the Kindersley area 7 mm. The Marengo area has received the most rain since April 1 (152 mm). The Sonningdale area has received the least rain since April 1 (35 mm).

West-Central Crop Development - June 13, 2016			
	% Ahead	% Normal	% Behind
Fall Cereals	22	78	0
Spring Cereals	11	77	12
Oilseeds	13	78	9
Pulse Crops	12	78	10

Topsoil moisture conditions on cropland are rated as 80 per cent adequate, 17 per cent short and three per cent very short. Hay land and pasture topsoil moisture is rated as 63 per cent adequate, 28 per cent short and nine per cent very short. In Crop District 7B, 42 per cent of hay and pasture acres are short topsoil moisture.

Overall, emerged crops are in good condition and at their normal stage of development for this time of year. The recent moisture has helped boost crop growth, although crops, hay and pasture in some areas are showing signs of stress due to dry conditions. Hay crops seem to be developing more rapidly this year compared with previous years. High winds have postponed spraying operations.

Farmers are busy controlling weeds, scouting for insects and disease and preparing haying equipment.

### Northeastern Saskatchewan:

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Seeding has been completed in the region. The five-year (2011-2015) seeding average for this time of year is 98 per cent.

Precipitation in the region ranged from trace amounts to 31 mm (Bruno area). The Porcupine Plain and Humboldt areas received 23 mm, the Nipawin area 15 mm, the Melfort area 6 mm and the Garrick area received 11 mm.

Northeast Crop Development - June 13, 2016			
	% Ahead	% Normal	% Behind
Fall Cereals	31	60	9
Spring Cereals	19	71	10
Oilseeds	15	70	15
Pulse Crops	22	69	9

Cropland topsoil moisture conditions are rated as 85 per cent adequate, 11 per cent short and four per cent very short. Hay land and pasture

topsoil moisture is rated as 80 per cent adequate, 19 per cent short and one per cent very short. At this time, Crop District 8A reports that 23 per cent of hay land and pasture remain short topsoil moisture.

Crops are in relatively good condition. Nineteen per cent of the spring cereals, 15 per cent of the oilseeds and 22 per cent of the pulses are ahead of their normal stages of development for this time of year. Cutworms are causing some damage in canola fields and there were a few reports of reseeding.

Farmers are busy controlling weeds, scouting for disease and preparing haying equipment.

**Northwestern Saskatchewan:**

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

Farmers have finished seeding in the region. The five-year (2011-2015) seeding average for this time of year is 99 per cent.

Dry areas that were in need of moisture received some much-needed rain over the past week. Precipitation ranged from 2 mm (North Battleford) to 21 mm (Pierceland area). The Rabbit Lake area reported 18 mm, the Glaslyn and Turtleford areas 16 mm, the Neilburg area 7 mm and the Barthel area 10 mm. Many areas of the region are still in need of moisture to advance crops, hay and pasture. The Frenchman Butte area has received the greatest amount of rain since April 1 (105 mmm), while the Duck Lake area has received the least since April 1 (25 mm).

<b>Northwest Crop Development - June 13, 2016</b>			
	% Ahead	% Normal	% Behind
Fall Cereals	20	78	2
Spring Cereals	9	88	3
Oilseeds	16	81	3
Pulse Crops	22	75	3

Cropland topsoil moisture is rated as 68 per cent adequate, 22 per cent short and 10 per cent very short. Hay land and pasture topsoil moisture is rated as 49 per cent adequate, 35 per cent short and 16 per cent very short. Crop District 9B is reporting that 31 per cent of cropland and 37 per cent of hay land and pasture are short of topsoil moisture.

Overall, crops are at the normal stage of development for this time of year. Twenty-two per cent of the pulse crops are ahead of normal in development. Crops are in good condition, although some canola and pea crops are showing stress due to lack of moisture. Cutworms are causing damage in canola, and control measures are being taken where necessary. Windy days have delayed weed control operations.

Farmers are busy controlling weeds, scouting for disease and preparing for the haying season.



### Crop Conditions - June 13, 2016

Provincial							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	36	57	19	28	14	19	22
% good	60	41	73	68	76	73	65
% fair	4	2	8	4	10	8	10
% poor	0	0	0	0	0	0	3
% very poor	0	0	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	12	21	17	12	32	30	4
% good	79	65	77	81	63	63	95
% fair	8	13	6	7	5	6	1
% poor	1	1	0	0	0	1	0
% very poor	0	0	0	0	0	0	0
Southeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	18	20	25	30	15	20	21
% good	78	76	69	63	81	70	65
% fair	4	3	5	6	4	9	14
% poor	0	1	1	1	0	1	0
% very poor	0	0	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	13	24	33	13	29	26	N/A
% good	77	62	57	79	59	63	N/A
% fair	9	13	10	7	11	10	N/A
% poor	1	1	0	1	1	1	N/A
% very poor	0	0	0	0	0	0	N/A
Southwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	49	74	21	29	24	28	40
% good	49	26	75	68	75	71	50
% fair	2	0	4	3	1	1	7
% poor	0	0	0	0	0	0	3
% very poor	0	0	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	17	27	14	N/A	42	35	5
% good	81	59	84	N/A	57	60	95
% fair	1	13	2	N/A	1	4	0
% poor	1	1	0	N/A	0	1	0
% very poor	0	0	0	N/A	0	0	0
East-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	44	24	16	7	15	13	25
% good	50	69	76	89	73	79	61
% fair	6	7	8	4	11	8	9
% poor	0	0	0	0	1	0	5
% very poor	0	0	0	0	0	0	0

East-central (continued)							
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	5	16	N/A	8	17	11	N/A
% good	84	66	N/A	85	80	85	N/A
% fair	11	17	N/A	7	3	4	N/A
% poor	0	1	N/A	0	0	0	N/A
% very poor	0	0	N/A	0	0	0	N/A
West-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	0	14	17	23	16	21	18
% good	92	79	74	68	73	69	75
% fair	8	7	9	9	11	10	7
% poor	0	0	0	0	0	0	0
% very poor	0	0	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	10	20	18	2	32	26	N/A
% good	80	68	71	92	62	66	N/A
% fair	10	12	11	6	6	8	N/A
% poor	0	0	0	0	0	0	N/A
% very poor	0	0	0	0	0	0	N/A
Northeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	N/A	N/A	32	N/A	21	27	13
% good	N/A	N/A	60	N/A	71	63	58
% fair	N/A	N/A	8	N/A	8	10	29
% poor	N/A	N/A	0	N/A	0	0	0
% very poor	N/A	N/A	0	N/A	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	13	26	N/A	N/A	27	N/A	N/A
% good	65	63	N/A	N/A	67	N/A	N/A
% fair	22	9	N/A	N/A	6	N/A	N/A
% poor	0	2	N/A	N/A	0	N/A	N/A
% very poor	0	0	N/A	N/A	0	N/A	N/A
Northwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	N/A	N/A	8	N/A	1	8	N/A
% good	N/A	N/A	80	N/A	85	82	N/A
% fair	N/A	N/A	12	N/A	14	10	N/A
% poor	N/A	N/A	0	N/A	0	0	N/A
% very poor	N/A	N/A	0	N/A	0	0	N/A
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	50	16	N/A	N/A	17	N/A	N/A
% good	50	68	N/A	N/A	66	N/A	N/A
% fair	0	14	N/A	N/A	16	N/A	N/A
% poor	0	2	N/A	N/A	1	N/A	N/A
% very poor	0	0	N/A	N/A	0	N/A	N/A

# Crop Districts and Rural Municipalities in Saskatchewan

- Regional Service Office
- Regional Satellite Office
- ▭ Crop District
- ▭ Rural Municipality



Projection: UTM Zone 13 Datum: NAD83




Data Source:  
Crop Districts - Saskatchewan Ministry of Agriculture

Geomatic Services, Ministry of Agriculture June 10, 2014



# Weekly Rainfall

from June 7 to June 13, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period June 7 to 13, 2016


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	23	181	4A	49	White Valley	11	113	7A	287	St. Andrews	12	88
	3	Enniskillen	17	153		51	Reno	17.8	128		288	Pleasant Valley	2	66
	33	Moose Creek	39	175		79	Arlington	14	150		290 A	Kindersley	10	63
	34	Browning	24	160		109 A	Carmichael	18	130		290 B	Kindersley	12	81
	61	Antler	N/A	91		109 B	Carmichael	N/A	216		290 C	Kindersley	N/A	44
	64	Brock	19	113		110	Piapot	17	142		292	Milton	12	152
1B	65	Tecumseh	7	144	111	Maple Creek	20	142	317 A	Marriott	10	84		
	91	Maryfield	14	200	4B	139	Gull Lake	9	152	317 B	Marriott	10	60	
	122	Martin	25	176		142	Enterprise	N/A	108	318	Mountain View	2	67	
	123	Silverwood	10	123		169	Pittville	12	141	320 A	Oakdale	7	68	
	124 A	Kingsley	N/A	59		231	Happyland	13	128	320 B	Oakdale	11	69	
	124 B	Kingsley	N/A	N/A	5A	183	Fertile Belt	14	155	321	Prairieedale	17	106	
	125 A	Chester	20	139		211	Churchbridge	21	111	7B	347	Biggar	9	39
	125 B	Chester	20	164	213	Saltcoats	N/A	55	350 A		Mariposa	NIL	67	
	151	Rocanville	17	118	241	Calder	31	87	350 B		Mariposa	5	50	
	154	Elcapo	16	142	243	Wallace	NIL	93	351		Progress	9	79	
155	Wolseley	25	151	244	Orkney	8	74	352	Heart's Hill		12	100		
2A	67	Weyburn	18	141	245 A	Garry	22	113	377		Glenaside	4	35	
	68	Brokenshell	20	159	245 B	Garry	21	85	378		Rosemount	12	47	
2B	97	Wellington	24	117	245 C	Garry	20	67	379		Reford	9	43	
	127 A	Francis	20	116	246	Ituna Bon Accord	10	55	381		Grass Lake	14	79	
	127 B	Francis	15	100	247	Kellross	16	70	382		Eye Hill	10.2	101	
	129	Bratt's Lake	19.5	144	248	Touchwood	12	68	409	Buffalo	N/A	46		
	131 A	Baildon	14	177	5B	271	Cote	30	79	410	Round Valley	2.5	86	
	131 B	Baildon	13	206		273	Sliding Hills	20	104	8A	395	Porcupine	23	110
	156 A	Indian Head	17.4	111	277	Emerald	14	72	397		Barrier Valley	9.6	71	
	156 B	Indian Head	20	140	305	Invermay	28	87	428		Star City	14	87	
	159	Sherwood	10	98	307	Elfros	39	110	456		Arborfield	9	94	
	160	Pense	20	114	308 A	Big Quill	14	61	457		Connaught	8	82	
	161	Moose Jaw	17	151	308 B	Big Quill	12.5	72	486		Moose Range	4	83	
	162	Caron	18	152	331	Livingston	21	121	487		Nipawin	15	121	
	191	Marquis	N/A	152	336	Sasman	23	60	8B		369	St. Peter	12	40
	3ASE	38 A	Laurier	27.4	150	337	Lakeview	21			82	370 A	Humboldt	23
38 B		Laurier	27	131	338	Lakeside	N/A	55	370 B		Humboldt	5	45	
39		The Gap	25	156	366	Kelvington	20	65	371	Bayne	31	81		
3ASW	10	Happy Valley	N/A	139	367	Ponass Lake	11.5	99	372	Grant	5	40		
	12	Poplar Valley	35	166	6A	190 A	Dufferin	27	173	400	Three Lakes	8	62	
40	Bengough	N/A	N/A	190 B		Dufferin	16	138	402	Fish Creek	6	61		
42	Willow Bunch	37	181	190 C		Dufferin	15	135	429	Flett's Springs	6	40		
43	Old Post	51	173	190 D		Dufferin	12	107	459	Kinistino	5	49		
73 A	Stonehenge	16.5	175	219 A		Longlaketon	13	82	460	Birch Hills	1.1	56		
73 B	Stonehenge	23	183	219 B		Longlaketon	14	112	9AE	488	Torch River	11	88	
3AN	101	Terrell	N/A	N/A		220	McKillop	13		86	520	Paddockwood	6	53
	102	Lake Johnston	17.5	104		221 A	Sarnia	16	134	521	Lakeland	6	53	
	103	Sutton	15	131		221 B	Sarnia	13	95	9AW	406	Mayfield	4	42
	132 A	Hillsborough	20	144		222	Craik	N/A	85		435	Redberry	9	55
	132 B	Hillsborough	13	167	251	Big Arm	15	89	436	Douglas	8	28		
	134	Shamrock	N/A	17	252	Arm River	13	80	463	Duck Lake	7	25		
3BS	193 A	Eyebrow	N/A	106	279	Mount Hope	11	61	467 A	Round Hill	14	66		
	193 B	Eyebrow	13	172	282	McCraney	9	72	467 B	Round Hill	18	74		
	17	Val Marie	N/A	125	312	Morris	10	70	494	Canwood	8	35		
	18	Lone Tree	14	159	313	Lost River	N/A	N/A	438	Battle River	2	41		
	75	Pinto Creek	5	165	339	Leroy	12.4	65	440	Hillsdale	7.5	50		
	76	Auvergne	7	127	340	Wolverine	6	50	442	Manitou Lake	7.4	58		
	77	Wise Creek	7	193	341	Viscount	5	59	498 A	Parkdale	16	60		
	78	Grassy Creek	13	153	343	Blucher	6	38	498 B	Parkdale	N/A	15		
	105	Glenbain	21	185	6B	223 A	Huron	19	117	499 A	Mervin	12	80	
	106	Whiska Creek	11	118		223 B	Huron	4	112	499 B	Mervin	N/A	N/A	
107	Lac Pelletier	8	118	284 A	Rudy	4	59	501 A	Frenchman Butte	13	50			
108	Bone Creek	13	139	285 B	Rudy	5	59	501 B	Frenchman Butte	16	85			
3BN	138 A	Webb	9	228	285 A	Fertile Valley	4	100	501 C	Frenchman Butte	13	105		
	138 B	Webb	6	142	285 B	Fertile Valley	8	68	502	Britannia	12	59		
	166	Excelsior	N/A	136	286	Milden	5	117	561	Loon Lake	10	67		
	167	Sask. Landing	9.18	178	314	Dundurn	5	47	588 A	Meadow Lake	20	45		
	168 A	Riverside	4	161	344	Corman Park	4	47	588 B	Meadow Lake	20	61		
	168 B	Riverside	3	80	346	Perdue	11	84	622	Beaver River	20.6	88		
	226	Victory	N/A	124	376	Eagle Creek	8	41						
	228	Lacadena	17	175	403	Rosthern	9	36						
	257	Monet	7.5	162										

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B, C and D - more than one reporter

# Cumulative Rainfall

from April 1 to June 13, 2016




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



# Cropland Topsoil Moisture Conditions

June 13, 2016




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



# Hay and Pasture Topsoil Moisture Conditions

## June 13, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.