

For the Period August 23 to 29, 2016

A break in the weather over the past few days has allowed farmers to make good harvest progress. Eighteen per cent of the 2016 crop has been combined and 32 per cent is swathed or ready to straight-cut, according to Saskatchewan Agriculture's weekly Crop Report. This is ahead of the five-year (2011-2015) average of 17 per cent combined for this time of year.

Regionally, harvest is furthest advanced in the southeast, where producers have 34 per cent of the crop in the bin. Twenty-five per cent of the crop is combined in the southwest, 12 per cent in the east-central region, eight per cent in the west-central and northeastern regions and five per cent in the northwest.

Ninety-two per cent of the winter wheat, 64 per cent of the field peas, 40 per cent of the lentils, 10 per cent of the durum and spring wheat and seven per cent of the canola have been combined. Fifty-two per cent of the canola has been swathed.

Rain was reported earlier in the week, with the northern and central regions receiving the majority. The Nipawin area received the most rain: 57 mm. Provincially, cropland topsoil moisture is rated as 16 per cent surplus, 79 per cent adequate and five per cent short. Crop districts around

Harvest Progress in SK Per cent Combined All Crops	
Aug 31/16	18
5 year avg. (2011-2015)	17
Aug 31/15	29
Sept 1/14	7
Aug 29/13	5
Aug 27/12	21
Aug 29/11	21
10 year avg. (2006-2015)	19

Kindersley and Tisdale are reporting surplus moisture on 43 and 46 per cent, respectively, of crop land. Hay land and pasture topsoil moisture is rated as five per cent surplus, 81 per cent adequate, 11 per cent short and three per cent very short.

Pasture conditions across the province are reported as 17 per cent excellent, 60 per cent good, 20 per cent fair and three per cent poor. As a result of a wet and humid haying season, it is estimated that four per cent of the forage acres

One year ago

Twenty-nine per cent of the provincial crop was combined and an additional 30 per cent was swathed or ready to straight cut. Eleven per cent of forage crops did not get cut or baled mainly due to lack of moisture.

Follow the Crop Report on
Twitter @SKAgriculture

Saskatchewan Harvest August 29, 2016 % combined

Winter wheat	92
Fall rye*	93
Spring wheat	10
Durum	10
Oats**	8
Barley	19
Canaryseed	3
Flax	1
Canola	7
Mustard	15
Soybeans	7
Lentils	40
Peas	64
Chickpeas	1

*includes three per cent 'other'

**includes one per cent 'other'

For further information, contact Daphne Cruise, PAg,
Crop Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3587, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.saskatchewan.ca/crop-report.

will be left unharvested, with the majority of those acres being in the west-central and northeastern regions. The majority of crop damage last week was due to prolonged flooding and disease. There are reports of higher incidences of sclerotinia in canola, fusarium in wheat and durum and bleaching of cereals and pulses, in comparison to other years.

Producers are busy with harvest.

Southeastern Saskatchewan:

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville and Lake Alma areas

A mostly warm and dry week allowed producers to continue with harvest. The region has 34 per cent of the crop harvested. Thirty-three per cent has been swathed or is ready to straight-cut. Harvest is furthest advanced in Crop District 2A, where 48 per cent of the crop is combined, and least advanced in Crop District 1B, which has only 23 per cent combined.

Rainfall in the region ranged from nil to 19 mm in the Grenfell area. The Kisbey area reported 12 mm of rain, Moosomin 16 mm, Moose Jaw 11 mm and Ceylon 9 mm.

Cropland topsoil moisture is rated as seven per cent surplus, 64 per cent adequate, 28 per cent short and one per cent very short. Hay land and pasture topsoil moisture is rated as three per cent surplus, 63 per cent adequate, 22 per cent short and 12 per cent very short. Topsoil moisture conditions vary greatly across the region. While 14 per cent of the cropland in Crop District 1B has surplus topsoil moisture at this time, 55 per cent of cropland in Crop District 3ASE is short of topsoil moisture.

The southeastern region has missed much of the rain that fell on other parts of the province over the past month. Pasture conditions are rated as seven per cent excellent, 57 per cent good, 25 per cent fair, nine per cent poor and two per cent very poor. It is estimated that two per cent of the hay crop will not get cut due to weather delays.

Crop damage is mainly attributed to prolonged flooding, lodging and disease. There are some reports of high levels of fusarium head blight in durum crops and sclerotinia in canola crops. Producers are reporting good yields for the most part; however, quality has been downgraded on many crops.

Southwestern Saskatchewan:

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Twenty-five per cent of the crop is in the bin and 21 per cent is swathed or ready to straight-cut. Rain showers earlier in the week stopped field operations, but, by the weekend, combines and swathers were going full force again. Thirty-five per cent of the

crop is combined in Crop District 4A, 27 per cent in CD 3BN, 26 per cent in CD 3AN, 23 per cent in CD 3ASW and 22 per cent in CD 4B.

The Fife Lake, Moose Jaw and Vanguard areas received 12 mm of rain, Tyner 21 mm, Maple Creek 20 mm and Gull Lake 7 mm.

Cropland topsoil moisture conditions are rated as four per cent surplus, 93 per cent adequate and three per cent short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 89 per cent adequate and 10 per cent short. Pasture conditions are rated as 24 per cent excellent, 65 per cent good, 10 per cent fair and one per cent poor. It is estimated that three per cent of forage acres will go unharvested due to weather delays.

Most crop damage this week is due to prolonged flooding, lodging and disease. Fusarium head blight has been noticed in cereals and sclerotinia and mould in pulses. Yield loss and downgrading are expected in much of the pulse crop in the region due to excess moisture and disease. Yields are variable. Pea crops are yielding quite well; however, lentil yields are reported to be average to below average so far. Desiccated crops are very slow to dry due to high levels of weeds. Fields in crop districts 3BN and 4B are difficult to access, and equipment is getting stuck in some cases. Warm and dry weather is needed to help dry up fields.

East-Central Saskatchewan:

- Crop District 5a - Esterhazy, Fort Qu'Appelle, Melville, Yorkton
- Crop District 5B - Kamsack, Wynyard, Preeceville, Kelvington
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Progress was made with harvest, despite rain showers earlier in the week. By the weekend, most producers were able to get back into the fields. Twelve per cent of the crop has been combined and 40 per cent is swathed or ready to straight-cut. A lot of the crop is ready to combine, however rain is causing delays. Sixteen per cent of the crop is harvested in Crop District 6A, eight per cent in CD 5A and nine per cent in CD 5B.

Rainfall in the region ranged from nil to 49 mm in the Pelly area. The Kelliher area received 42 mm of rain, the Saltcoats area 21 mm, Kamsack 33 mm, Bethune 14 mm, Holdfast and Semans 28 mm and Bradwell 12 mm.

Topsoil moisture conditions on cropland are rated as 10 per cent surplus, 86 per cent adequate and four per cent short. Hay land and pasture topsoil moisture is rated as 10 per cent surplus, 83 per cent adequate and seven per cent short. Nineteen per cent of the cropland in Crop District 5A has surplus moisture. Pasture conditions are rated as 15 per cent excellent, 62 per cent good and 23 per cent fair. It is estimated that six per cent of hay acres will not be cut due to weather delays.

The majority of crop damage this past week was caused by prolonged flooding, lodging and disease. Yield loss is expected in those crops. Quality is a concern and there are reports of downgrades due to disease, bleaching and sprouting. Some crops have secondary growth, causing problems with staging the crop for swathing and timing for combining. Warm and dry weather is needed to help dry out the soil and prevent further crop quality issues in the field.

West-Central Saskatchewan:

- Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston, Major
- Crop District 7B - Kerrobert, Macklin, Wilkie and Biggar areas

Good harvest progress was made as a few warm and dry days allowed farmers to get back into the field. Eight per cent of the crop is in the bin and 28 per cent is swathed or ready to straight-cut. Producers have combined 13 per cent of the crop in Crop District 6B, three per cent in CD 7A and seven per cent in CD 7B. Fifty-six per cent of the canola is swathed.

Rainfall in the region ranged from nil to 46 mm in the Luseland area. The Outlook and Sonningdale areas received 21 mm of rain, Hanley 8 mm, Smiley 33 mm, Nether Hill 10 mm, Major 28 mm, Macklin 30 mm and Cando 26 mm.

Topsoil moisture conditions on cropland are rated as 25 per cent surplus and 75 per cent adequate. Hay land and pasture topsoil moisture is rated as eight per cent surplus and 92 per cent adequate. Crop District 7A is reporting that 43 per cent of cropland has surplus topsoil moisture. Crop District 7B started out this spring with fairly dry conditions but has received a lot of rain in the last four to five weeks, resulting in surplus moisture conditions on 23 per cent of cropland. Pasture conditions are rated as 27 per cent excellent, 59 per cent good and 14 per cent fair. It is estimated that eight per cent of the forage acres will go unharvested this year due to the wet haying season.

Many fields remain too wet to support equipment and high humidity is delaying crop dry-down. There are many reports of high levels of diseases such as sclerotinia, blackleg, fusarium head blight and mould in pulse crops. Some canola swaths have been blown around by high winds. Late-season rains have caused bleaching in some of the swathed and standing cereals crops.

Northeastern Saskatchewan:

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Eight per cent of the 2016 crop is in the bin. Despite rain throughout most of the week, producers made good harvest progress and now have 39 per cent of the crop either swathed or ready to straight-cut. Crop District 8B has 11 per cent of the crop combined, CD 8A six per cent and CD 9AE four per cent. Forty-nine per cent of the canola has been swathed.

Precipitation ranged from nil to 57 mm in the Nipawin area. The Porcupine Plain area reported 28 mm of rain, Arborfield 42 mm, Humboldt 35 mm, Melfort 19 mm and Birch Hills 5 mm. Most producers were back in the field by the end of the week.

The region has received significant amounts of rain over the past month, resulting in flooded and/or soft fields. Cropland topsoil moisture conditions are rated as 25 per cent

surplus, 72 per cent adequate and three per cent short. Hay land and pasture topsoil moisture is rated as 19 per cent surplus, 73 per cent adequate and eight per cent short. Crop District 8A is reporting that 46 per cent of cropland and 36 per cent of hay land and pasture have surplus topsoil moisture at this time. Pasture conditions are rated as 25 per cent excellent, 63 per cent good and 12 per cent fair. Crop reporters are estimating that eight per cent of forage acres will not be harvested due to the wet haying season. With harvest just started, there is little time left for producers to finish haying.

Most crop damage this past week is attributed to prolonged flooding, lodging and diseases such as sclerotinia and fusarium head blight. Yield and quality losses are expected in those fields. Some roads and fields remain soft and equipment is getting stuck in some areas.

Northwestern Saskatchewan:

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

Rain throughout most of the week delayed harvest for producers. Five per cent of the crop is combined and 35 per cent is swathed or ready to straight-cut. Crop District 9AW has seven per cent of the crop in the bin, while CD 9B has three per cent combined.

Rain fell throughout the majority of the week, but by the weekend, producers were able to get back into the field. The North Battleford area recorded 28 mm of rain, Hafford 21 mm, Speers 4 mm, Neilburg 17 mm, Turtleford 44 mm, Barthel 20 mm and Pierceland 8 mm.

Cropland topsoil moisture is rated as 10 per cent surplus, 87 per cent adequate and three per cent short. Hayland and pasture topsoil moisture is rated as one per cent surplus, 90 per cent adequate and nine per cent short. Pasture conditions are rated as two per cent excellent, 48 per cent good, 47 per cent fair and three per cent poor. It is estimated that two per cent of the forage acres will not be harvested.

There was a slight frost on the weekend, with temperatures dipping down to -2C in some areas; however, very little crop damage is expected. The late-season rains have caused some staining of pea crops and bleaching of cereal crops. Most producers are anticipating good yields, but harvest has only just started and they will have a better idea of yields in the coming weeks. The majority of crop damage this past week was due rain.

Saskatchewan Harvest Progress - August 29, 2016


*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	1	0	1	98	
southwest	5	0	5	90	
east central	5	0	8	87	
west central	7	0	16	77	
northeast	22	1	7	70	
northwest	N/A	N/A	N/A	N/A	
provincial	4	0	4	92	
Fall Rye	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	1	99	
southwest	6	1	0	93	
east central	0	0	2	98	
west central	14	4	5	77	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	5	1	1	93	
Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	34	12	29	25	
southwest	72	1	23	4	
east central	60	13	20	7	
west central	86	5	6	3	
northeast	61	7	25	7	
northwest	74	4	16	6	
provincial	64	8	18	10	
Durum	% Standing	% in swath	% ready to straight combine	% combined	
southeast	53	4	21	22	
southwest	73	1	18	8	
east central	61	8	30	1	
west central	85	4	9	2	
northeast	63	15	15	7	
northwest	N/A	N/A	N/A	N/A	
provincial	70	2	18	10	
Barley	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	31	12	7	48	2
southwest	51	9	14	22	4
east central	46	21	17	16	0
west central	84	5	5	5	1
northeast	40	14	19	26	1
northwest	80	10	5	4	1
provincial	92	2	2	4	1

Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	44	25	2	27	2
southwest	61	1	9	26	3
east central	76	15	5	4	0
west central	89	6	0	2	3
northeast	73	7	18	2	0
northwest	85	4	9	0	2
provincial	73	12	8	7	1
Canaryseed	% Standing	% in swath	% ready to straight combine	% combined	
southeast	N/A	N/A	N/A	N/A	
southwest	N/A	N/A	N/A	N/A	
east central	N/A	N/A	N/A	N/A	
west central	N/A	N/A	N/A	N/A	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	N/A	N/A	N/A	N/A	
Flax	% Standing	% in swath	% ready to straight combine	% combined	
southeast	95	2	1	2	
southwest	99	0	1	0	
east central	100	0	0	0	
west central	98	2	0	0	
northeast	98	2	0	0	
northwest	100	0	0	0	
provincial	100	0	0	0	
	97	1	1	1	
Canola	% Standing	% in swath	% ready to straight combine	% combined	
southeast	18	56	5	21	
southwest	52	36	2	10	
east central	44	51	1	4	
west central	41	56	1	2	
northeast	49	48	1	2	
northwest	44	54	1	1	
provincial	39	52	2	7	
Mustard	% Standing	% in swath	% ready to straight combine	% combined	
southeast	61	9	1	29	
southwest	61	9	13	17	
east central	87	13	0	0	
west central	87	11	2	0	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	67	10	9	14	


Soybeans	% Standing	% in swath	% ready to straight combine	% combined	
southeast	91	0	0	9	
southwest	100	0	0	0	
east central	86	0	13	1	
west central	100	0	0	0	
northeast	90	0	8	2	
northwest	N/A	N/A	N/A	N/A	
provincial	91	0	2	7	
Field Peas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	8	1	3	88	
southwest	14	1	10	75	
east central	9	9	22	60	
west central	24	1	29	46	
northeast	22	2	22	54	
northwest	23	2	28	47	
provincial	15	3	18	64	
Lentils	% Standing	% in swath	% ready to straight combine	% combined	
southeast	20	4	7	69	
southwest	30	4	23	43	
east central	17	0	43	40	
west central	58	1	29	12	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	35	3	22	40	
Chickpeas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	98	0	0	2	
southwest	99	0	0	1	
east central	52	13	0	35	
west central	100	0	0	0	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	99	0	0	1	

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

from August 23 to August 29, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period August 23 to 29, 2016


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	3	348	4A	49	White Valley	5	335	7A	287	St. Andrews	3	442
	3	Enniskillen	NIL	301		51	Reno	NIL	243		288	Pleasant Valley	2	345
	33	Moose Creek	N/A	239		79	Arlington	13	361		290 A	Kindersley	10	303
	34	Browning	N/A	351		109 A	Carmichael	N/A	301		290 B	Kindersley	14	363
	61	Antler	N/A	282		109 B	Carmichael	N/A	216		290 C	Kindersley	26	317
	64	Brock	12	250		110	Piapot	20	362		292	Milton	N/A	453
	65	Tecumseh	N/A	236		111	Maple Creek	N/A	270		317 A	Marriott	N/A	473
1B	91	Maryfield	7	430	4B	139	Gull Lake	7	405		317 B	Marriott	23	288
	122	Martin	16	389		142	Enterprise	N/A	108		318	Mountain View	11	435
	123	Silverwood	6	303		169	Pittville	N/A	391		320 A	Oakdale	17	303
	124 A	Kingsley	6	308		231	Happyland	5	492		320 B	Oakdale	19	368
	124 B	Kingsley	N/A	NIL	5A	183	Fertile Belt	6	398		321	Prairiedale	33	448
	125 A	Chester	N/A	410		211	Churchbridge	13	318	7B	347	Biggar	19	297
	125 B	Chester	2	331		213	Saltcoats	21	243		350 A	Mariposa	NIL	365
	151	Rocanville	13	373		241	Calder	26	295		350 B	Mariposa	N/A	246
	154	Elcapo	NIL	300		243	Wallace	21	342		351	Progress	46	384
	155	Wolseley	19	355		244	Orkney	13	286		352	Heart's Hill	28	412
2A	67	Weyburn	NIL	256		245 A	Garry	22	405		377	Glenside	21	275
	68	Brokenshell	3	327		245 B	Garry	NIL	276		378	Rosemount	26	376
	97	Wellington	1.5	297		245 C	Garry	N/A	230		379	Reford	13	345
2B	127 A	Francis	7.5	260		246	Ituna Bon Accord	N/A	231		381	Grass Lake	N/A	242
	127 B	Francis	NIL	243		247	Kellross	42	275		382	Eye Hill	30	391
	129	Bratt's Lake	2	293		248	Touchwood	N/A	281		409	Buffalo	N/A	125
	131 A	Baildon	4	362	5B	271	Cote	33	328		410	Round Valley	11.3	297
	131 B	Baildon	N/A	431		273	Sliding Hills	N/A	319	8A	395	Porcupine	28	467
	156 A	Indian Head	5.2	299		277	Emerald	32	305		397	Barrier Valley	12.6	334
	156 B	Indian Head	6	355		305	Invermay	3	345		428	Star City	22	376
	159	Sherwood	N/A	298		307	Elfros	N/A	374		456	Arborfield	42	463
	160	Pense	4	288		308 A	Big Quill	21	332		457	Connaught	4	428
	161	Moose Jaw	2	353		308 B	Big Quill	N/A	247		486	Moose Range	57	392
	162	Caron	11	371		331	Livingston	49	403		487	Nipawin	3	437
	191	Marquis	7	352		336	Sasman	8	274	8B	369	St. Peter	10	200
3ASE	38 A	Laurier	4.1	379		337	Lakeview	N/A	366		370 A	Humboldt	35	316
	38 B	Laurier	3	305		338	Lakeside	9	340		370 B	Humboldt	N/A	232
	39	The Gap	9	377		366	Kelvington	18	444		371	Bayne	9	343
3ASW	10	Happy Valley	N/A	332		367	Ponass Lake	N/A	397		372	Grant	19.3	213
	12	Poplar Valley	12	301	6A	190 A	Dufferin	14	475		400	Three Lakes	15	315
	40	Bengough	N/A	N/A		190 B	Dufferin	11	427		402	Fish Creek	16	320
	42	Willow Bunch	5	333		190 C	Dufferin	8	306		429	Flett's Springs	19	241
	43	Old Post	NIL	297		190 D	Dufferin	6	262		459	Kinistino	NIL	289
	73 A	Stonehenge	NIL	375		219 A	Longlaketon	16	367		460	Birch Hills	5.2	228
	73 B	Stonehenge	6	390		219 B	Longlaketon	18	293	9AE	488	Torch River	N/A	306
3AN	102	Lake Johnston	11	265		220	McKillop	N/A	310		520	Paddockwood	35	178
	103	Sutton	8	310		221 A	Sarnia	28	331		521	Lakeland	35	178
	132 A	Hillsborough	11.5	366		221 B	Sarnia	N/A	290	9AW	406	Mayfield	12	229
	132 B	Hillsborough	12	434		222	Craik	12	371		435	Redberry	21	268
	134	Shamrock	N/A	17		251	Big Arm	12.5	257		436	Douglas	4	132
	193 A	Eyebrow	N/A	320		252	Arm River	18	280		463	Duck Lake	19	224
	193 B	Eyebrow	N/A	385		279	Mount Hope	28.1	302		467 A	Round Hill	28	321
	17	Val Marie	N/A	314		282	McCraney	10	363		467 B	Round Hill	24	282
3BS	18	Lone Tree	NIL	395		312	Morris	8	419		494	Canwood	19	200
	75	Pinto Creek	1	370		313	Lost River	N/A	230	9B	438	Battle River	3	287
	76	Auvergne	2	285		339	Leroy	15.6	281		440	Hillsdale	17	188
	77	Wise Creek	6	369		340	Wolverine	10	322		442	Manitou Lake	28	285
	78	Grassy Creek	7	303		341	Viscount	N/A	217		498 A	Parkdale	N/A	285
	105	Glenbain	6	383		343 A	Blucher	5	234		498 B	Parkdale	13	64
	106	Whiska Creek	12	371		343 B	Blucher	12	254		499 A	Mervin	44	304
	107	Lac Pelletier	N/A	388	6B	223 A	Huron	N/A	322		499 B	Mervin	N/A	N/A
	108	Bone Creek	N/A	375		223 B	Huron	10	357		501 A	Frenchman Butte	18	298
	138 A	Webb	8	515		284 A	Rudy	22	393		501 B	Frenchman Butte	9	261
3BN	138 B	Webb	6	405		285 B	Rudy	17	418		501 C	Frenchman Butte	26	399
	166	Excelsior	20	424		285 A	Fertile Valley	7	438		502	Britannia	N/A	264
	167	Sask. Landing	20	448		285 B	Fertile Valley	13	418		561	Loon Lake	22	277
	168 A	Riverside	8	452		286	Milden	N/A	408		588 A	Meadow Lake	22	335
	168 B	Riverside	N/A	352		314	Dundurn	8	321		588 B	Meadow Lake	11	203
	226	Victory	N/A	346		344	Corman Park	3	267		622	Beaver River	8.1	274
	228	Lacadena	21	447		346	Perdue	20	363					
	257	Monet	15	567		376	Eagle Creek	21	300					
						403	Rosthern	NIL	228					

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B, C and D - more than one reporter

Cumulative Rainfall


from April 1 to August 29, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Cropland Topsoil Moisture Conditions


August 29, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay and Pasture Topsoil Moisture Conditions

August 29, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.