

COVID-19 Integrated Epidemiology Situation Report

Week of May 29 – June 4, 2022

Purpose

This report provides COVID-19 surveillance information at the provincial and COVID-19 reporting zone levels on a weekly basis. Surveillance information is used for a variety of public health purposes including public communications and decision-making, both strategic and operational. The reporting week for most public health surveillance data runs from Sunday to Saturday and the data are analysed early the following week. The hospital census data are compiled on a Wednesday to Wednesday cycle to ensure the most up-to-date information is available.

The report provides a snapshot of key indicators for the previous week. Where appropriate, longer term comparisons are offered to provide context on the profile of COVID-19 in Saskatchewan. New information is also introduced in this report, such as sentinel surveillance. Sentinel surveillance involves the collection of information about respiratory illness from a variety of sites across the province. For example, analysis of visits to emergency departments for COVID-like illness provides information about community transmission of respiratory illnesses in the province.

Highlights for the week


- 5,888 laboratory tests were performed in Saskatchewan reflecting 4.9 tests performed per 1,000 population.
- The number of tests was higher than the number of tests in the previous week (5,667).
- The weekly test positivity of 4.6% is a decrease from the previous week (5.3%). Test positivity was highest and increased in the South East zone this week (from 3.6% to 10% this week).
- 285 new cases were confirmed reflecting 24 laboratory-confirmed cases per 100,000 population (lower than the previous week n = 364 new cases).
- The majority of laboratory-confirmed cases this week continue to be 50 years and older (56.1%).
- There were 122 new lineage results reported this week. Of the 122 variants of concern identified by whole genome sequencing, 100% were Omicron.
- The Omicron BA.2 sublineage accounted for 97.5% of the VOCs reported this week. BA.2 sublineage is more transmissible compared to pre-variant 2020 COVID-19 and BA.1 sublineages, but there is no current evidence of increased severity.
- There were ten (10) newly-reported COVID-19 deaths (9 in the previous week).
- Vaccination remains the best protection against severe outcomes of COVID-19 infection. From December 20, 2021 to May 21, 2022, unvaccinated individuals had a 3 times higher risk of hospitalization and 6 times higher risk of ICU admission and death compared to three-dose recipients.
- Other respiratory viruses have a higher test positivity rate in Saskatchewan than COVID-19:
 - Respiratory syncytial virus (RSV) – 7.0% test positivity
 - Influenza – 6.8% test positivity
 - Enterorhinovirus – 20.0% test positivity
- The highest rates of laboratory-confirmed other viral respiratory illness was in Far North zones.
- The rate of visitors to Emergency Departments with viral respiratory symptoms decreased from 30 per 1,000 visits last week to at 22 patients per 1,000 visits this week. Rates were highest in the Central West zone at 152.2 patients/1,000 visitors and North East (138.6 per 1,000 visitors).
- Calls to 811 HealthLine for respiratory-like illness remain stable (89 per 1,000 calls this week compared to 91 per 1,000 calls last week).
- Eight (8) COVID-19 outbreaks were reported this week in long term care facilities and personal care homes, more than last week (3 outbreaks). The majority of new outbreaks were in the North West (n = 5; 63%).
- Immunization coverage rates for primary series and booster uptake have remained stable over the last four weeks. Of the eligible populations five and older, 81.0% have completed a series.
- Of the population 12 and older, 49.2% have received a booster and of those 18 and older, 52.6% have received a booster (unchanged from last week).

Weekly COVID-19 Hospitalization Indicators: June 1, 2022 as compared to June 8, 2022

	01-Jun	08-Jun	Change from last reporting period
Total Covid Hospitalized	232	187	-45
Total Covid Adult ICU/ICU Surge	6	10	+4
Average Daily Admissions over past 7 days	14	14	0
Total Covid Related Illness	68	56	-12
Total Incidental Covid Infection	151	118	-33
Total Patient Under Investigation	13	13	0


All data is reflective of the 12:00pm (noon) snapshot with the exception of the average daily admissions over past 7 days, which is reflective of the previous Wednesday to Tuesday reporting cycle.

Note: Because of the delay in date tested result, it affects the total number of COVID-19 admissions for a particular day. This lag in data impacts mostly the last couple of days from the day the report is updated.



COVID-19 ICU Admissions per day


(7 day rolling average)




SHA DH Analytics

Saskatchewan Health Authority COVID-19 Daily Census at Noon by Facility ISA

COVID-19 Daily Census - Noon Snapshot For Inpatient



Saskatchewan Health Authority
 COVID-19 Daily Census at Noon
 by Facility ISA



Distribution of Rapid Antigen Tests in Saskatchewan by Streams from November 2020 to June 3, 2022

Sector	SPSA	SHA	Sector Totals
SHA Internal	0	4,200,673	4,200,673
NITHA/ISC	3,024,725	433,720	3,458,445
Schools	1,125,935	1,390,000	2,515,935
Congregate Living	286,180	439,602	725,782
Law Enforcement & Fire Depts.	173,020	37,440	210,460
EMS	0	15,615	15,615
Test to Protect & Unclassified	0	319,100	319,100
Public Distribution Centres	8,307,765	1,372,660	9,680,425
Total Tests:	12,917,625	8,208,810	21,126,435

- There are currently 661 public distribution centres in the province. The full list is available at <https://www.saskatchewan.ca/government/health-care-administration-and-provider-resources/treatment-procedures-and-guidelines/emerging-public-health-issues/2019-novel-coronavirus/testing-information/rapid-testing/locations-for-rapid-antigen-self-test-kits>
- Previously reported rapid testing tables included all rapid test types, including Abbot ID Now tests which are a rapid PCR test used exclusively in healthcare settings. The table has been updated for the week ending March 31 to report rapid antigen tests only.

Table of Contents

A. Laboratory Surveillance	6
Overview of COVID-19 Laboratory Tests	6
Overview of COVID-19 Laboratory-Confirmed Cases	7
Variants of Concern	9
B. Description of Severe COVID-19 Cases	11
Deaths	11
Pre-existing Conditions	12
Relative Risk by Vaccination Status	13
C. Sentinel Surveillance	14
Emergency Department (ED) visits related to COVID-19-like illness (CLI)	14
HealthLine Callers with COVID-19-like Illness (CLI)	16
D. Outbreak Surveillance	17
E. Immunization	18
F. Abbreviations	19
G. Technical Notes	20
Case Definition and Methods Overview	20
Fatal Cases (Deaths) Table	21
Variants of Concern	21
Severe Case Immunization Status	21
Emergency Department Visits	21
HealthLine callers with Respiratory Symptoms	21
Outbreaks	22
H. Map of Saskatchewan by Zone and Sub-Zone	23

A. Laboratory Surveillance

Overview of COVID-19 Laboratory Tests

Table 1: Summary of COVID-19 laboratory tests for the week of May 29 - June 4, 2022, by zone

Zone	Current Week (May 29 to June 4, 2022)			Previous Week (May 22 to 28, 2022)			Change from Previous Week	
	Total Number of Tests Performed	% Tested Positive ^{^*}	Tests performed per 1,000 population	Total Number of Tests Peformed	% Tested Positive ^{^*}	Tests performed per 1,000 population	Test Positivity	Tests performed per 1,000 population
FNW	173	5.2%	5.8	182	6.6%	6.1	↓ -1.4	↓ -0.3
FNC	8		3.0	8		3.0	NA	→ 0.0
FNE	86		3.5	81		3.3	NA	↑ 0.2
NW	286	4.9%	3.5	260	3.8%	3.2	↑ 1.1	↑ 0.3
NC	207	4.8%	2.3	223	7.2%	2.5	↓ -2.4	↓ -0.2
NE	140	3.6%	3.4	158	8.9%	3.8	↓ -5.3	↓ -0.4
ST	912	6.7%	2.7	941	7.5%	2.8	↓ -0.8	↓ -0.1
CW	111	4.5%	3.0	96		2.6	NA	↑ 0.4
CE	408	5.1%	4.1	345	7.0%	3.5	↓ -1.9	↑ 0.6
RE	352	5.7%	1.3	372	8.3%	1.4	↓ -2.6	↓ -0.1
SW	130	3.8%	3.4	129	4.7%	3.3	↓ -0.9	↑ 0.1
SC	230	3.0%	3.8	239	4.6%	4.0	↓ -1.6	↓ -0.2
SE	201	10.0%	2.3	223	3.6%	2.5	↑ 6.4	↓ -0.2
Unknown	2,644	3.1%		2,410	3.7%		↓ -0.6	
SK	5,888	4.6%	4.9	5,667	5.3%	4.7	↓ -0.7	↑ 0.2

Source: RRPL Daily Test Count Table by new zones, extracted June 6, 2022; Covered Population, 08-Jul-2021 Ministry of Health version (2021 Version 1).

As of February 7, 2022 RRPL PCR testing was reserved for populations deemed to be at an elevated risk for severe outcomes (see details in Technical Notes)

[^] Test positivity is not reported if total number of tests performed is less than 100 tests.

*Test positivity is based on the number of tests that were positive and does not necessarily equal the number of cases in Table 2.

NA: Test positivity is not reported because total number of tests performed in one or two reported week(s) was/were less than 100 tests.

For the week of May 29-June 4, 2022:

- 5,888 laboratory tests were performed in Saskatchewan.
- The number of tests per 1,000 population was 4.9. This was higher than the previous week (May 22 to 28, 2022) by 0.2 tests per 1,000 population. However, it was lower than the average for the previous four weeks (May 1 to May 28, 2022) where the weekly average rate was 5.4 tests per 1,000 population.
- The Far North West zone had the highest testing rate (5.8 tests per 1,000 population). The Regina zone had the lowest testing rate (1.3 tests per 1,000 population).
- 4.6% of tests in the province were positive. This was lower than the previous week (May 22 to 28, 2022) by 0.7 percentage points. It was also lower than the average for the previous four weeks (May 1 to May 28, 2022) by 1.6 percentage points where the average was 6.2%.
- Of zones with reported test positivity, the South East zone (10.0%) had the highest, while the South Central zone had the lowest (3.0%).

Overview of COVID-19 Laboratory-Confirmed Cases

Table 2: Summary of new laboratory-confirmed COVID-19 cases per 100,000 population for the week of May 29-June 4, 2022 by zone

Zone	New cases		Previous Week		Change in Cases per 100,000 from Previous Week	Weekly Rate in Previous Four Weeks		Change from Previous 4-week Rate
	Confirmed cases	Cases ¹ per 100,000	Confirmed cases	Cases ¹ per 100,000		Confirmed cases	Cases ¹ per 100,000	
FNW	8	27	15	50	↓ -23	9	29	↓ -2
FNC	1	38			↑ 38	1	19	↑ 19
FNE	9	37	2	8	↑ 29	6	25	↑ 12
NW	24	29	30	36	↓ -7	40	49	↓ -20
NC	13	15	26	29	↓ -14	27	30	↓ -15
NE	6	14	22	53	↓ -39	16	39	↓ -25
ST	78	23	107	32	↓ -9	143	42	↓ -19
CW	8	22	12	32	↓ -10	12	31	↓ -9
CE	29	29	40	41	↓ -12	50	51	↓ -22
RE	55	20	65	24	↓ -4	90	33	↓ -13
SW	5	13	8	21	↓ -8	13	32	↓ -19
SC	9	15	12	20	↓ -5	21	35	↓ -20
SE	28	31	14	16	↑ 15	38	43	↓ -12
Pending	12		11			14		
SK	285	24	364	30	↓ -6	478	40	↓ -16

Source: RRPL line list June 06, 2022.

The rates in Table 2 are per 100,000. In past weeks, the rates were per 1,000. This has been changed due to smaller number of cases.

¹ Proportion per 100,000 calculated using the Saskatchewan 2021 Covered Population, 08-Jul-2021 Ministry of Health SAS version (2021 Version 1).

Data should be interpreted with caution because they do not include cases detected by home rapid-antigen-test kits.

For a given week, the number of cases in Table 2 can be different from the number of tests used to calculate test positivity in Table 1, because the RRPL test dates may be in a different week than case dates used in Panorama, and may also include cases identified in laboratories other than the RRPL. This week there were 65 out of province cases and one other added to the totals.


For the week of May 29-June 4, 2022

- 285 new cases were confirmed by a positive laboratory test.
- The proportion of new laboratory-confirmed cases was 24 per 100,000 population, lower than last week (30 per 100,000 population).
- It was lower than the average weekly rate for the previous four weeks (May 1 to 28, 2022) by 16 cases per 100,000 population.
- The highest proportion of new cases for the week was in the Far North Central zone, at 38 per 100,000 population. The lowest proportion was in South West zone at 13 per 100,000 population.
- Compared with last week's proportions of cases, there were increases in the Far North Central, Far North East and South East zones. All other zones decreased or were similar.
- Rates should be interpreted with caution because they do not include cases detected by home rapid-antigen test kits.

Figure 1: Map of new laboratory-confirmed COVID-19 cases by zone and area for the week of May 29-June 4, 2022

For the week of May 29-June 4, 2022:

- 18 new cases in the Far North (FNW, 8 cases; FNC, 1 case; FNE, 9 cases);
- 43 new cases in the North (NW, 24 cases; NC, 13 cases; NE, 6 cases);
- 78 new cases in the Saskatoon area;
- 37 new cases in the Central area (CW, 8 cases; CE, 29 cases);
- 55 new cases in the Regina area; and
- 42 new cases in the South (SW, 5 cases; SC, 9 cases; SE, 28 cases).
- 12 new cases still have pending residence information.




Source: RRPL line list June 6, 2022.

The zones include cases reported by First Nations (FN) jurisdictions based on the location of the FN community. Far North – Far North West, Far North Central, Far North East; North – North West, North Central, North East; Saskatoon; Central – Central West, Central East; Regina; South – South West, South Central, South East.

Figure 2: Laboratory-confirmed cases¹, by age group and week, March 8, 2020 to June 4, 2022

- From March 8, 2020 to June 4, 2022, there were 138,830 laboratory-confirmed cases.
- Close to half of all cases were between 20 and 49 years of age and over one-quarter were younger than 20 years of age.
- This week, more than half of laboratory-confirmed cases were 50 years and older (n = 160; 56.1%).



Source: Panorama IOM June 6, 2022.

¹ Panorama IOM record.

² Due to data entry lag, cases for this period may be under-reported and not captured in this figure.

Variants of Concern

Table 3: Distribution of Variants of Concern (VOC) among sequenced COVID-19 cases for the week, by zone for May 29-June 04, 2022

MoH Zone	Current week (May 29 – June 4 , 2022)			Previous week (May 22-28 , 2022)				
	Omicron VOC		Delta VOC	Total	Omicron VOC		Delta VOC	Total
	BA.2 sublineage	Other sublineage			BA.2 sublineage	Other sublineage		
Far North West	100%			2	33%	66.7%		3
Far North Central				0				0
Far North East	50.0%	50.0%		2	62.5%	37.5%		8
North West	67%	33.3%		3	67%	33.3%		45
North Central	100.0%			2	55%	44.8%		29
North East	100%			4		.		0
Saskatoon	100.0%			37	73.5%	26.5%		162
Central West	100.0%			1	50.0%	50.0%		4
Central East	100.0%			13	86.5%	13.5%		37
Regina	100.0%			24	92.2%	7.8%		64
South West	100.0%			4	86%	14.3%		7
South Central	100%			15	100.0%			8
South East	90.0%	10.0%		10	92%	8.3%		36
Pending	100.0%			5	73.5%	26.5%		34
Total	97.5%	2.5%	0	122	76.9%	23.1%	0	437

Source: Panorama June 6, 2022.

Notes:

Results are based on the date Variants of Concern (VOC) were reported by the provincial laboratory (RRPL).


MoH zones are assigned based on information as available in the Panorama database.

Pending cases are those whose geographical information is not available at the time of reporting.

The number of positive tests submitted for sequencing changes from week to week.

- There were 122 VOCs reported during the current week (May 29-June 4), lower than the 437 VOCs reported in the previous week (May 22-28).
- Of the total VOCs reported in the past two weeks, 100% were the Omicron VOCs.
- 97.5% of the Omicron VOC were of sublineage BA.2 compared to 76.9% last week. A decrease in proportion of BA.2 in the previous week (May 22-28) was due to inclusion of older samples for sequencing from January 2022.

Figure 3: Distribution of VOCs among reported COVID-19 cases (N = 9,597) between week ending December 25, 2021 and week ending June 4, 2022



Data source: Panorama IOM; data extraction: June 6, 2022

VOC reported date are based on date VOC reported by the provincial lab (RRPL)

Results are based on the number of samples sequenced and the date VOCs were reported by RRPL.

- The Omicron VOC was first reported in South Africa and the World Health Organization designated Omicron as a variant of concern on November 26, 2021.
- Of all 9,597 VOCs reported between December 19, 2021 and June 4, 2022, 6.5% (621) were Delta VOC and 93.5% (8,976) were Omicron VOC.
- Based on available sequence data, no Delta VOC cases were reported since mid-March 2022.
- The Omicron VOC rapidly increased since the first week of January and became the dominant variant in Saskatchewan.

B. Description of Severe COVID-19 Cases

Deaths

Table 4: Number and proportion of COVID-19 deaths newly reported during the week of May 29-June 4, 2022

- For the week of May 29 to June 4, 2022, there were 10 newly-reported COVID-19 deaths.
- Half of the newly reported deaths, five (5), were in Regina zone.
- Of this week's newly reported deaths, seven (7) occurred within the week. Three (3) deaths occurred earlier (March 27 to May 26, 2022), but were reported this week.
- Death rates should be interpreted with caution because of small numbers.

Source: Panorama IOM June 6, 2022.

¹ Proportion per 100,000 calculated using the Saskatchewan 2021 Covered Population, 08-Jul-2021 Ministry of Health SAS version (2021 Version 1). This week's newly reported deaths did not necessarily occur in this past week. They may have occurred in previous weeks but only reported in this week.

Zone	Deaths	
	Number	¹ Deaths per 100,000 population
FNW		
FNC		
FNE		
NW		
NC		
NE		
ST	2	0.6
CW	1	2.7
CE	1	1.0
RE	5	1.8
SW		
SC		
SE	1	1.1
Pending		
SK	10	0.8

Table 5: Age and sex distribution of deaths with COVID-19, newly reported the week of May 29-June 4, 2022


- For the week of May 29 to June 4, 2022, there were 10 newly-reported COVID-19 deaths.
- Most of the newly reported deaths, 80% or eight (8), were among those 80 years of age or older.
- Over one-half, 60%, of the deaths were among males.
- Of this week's newly reported deaths, seven (7) occurred within the week. Three (3) deaths occurred earlier (March 27 to May 26, 2022), but were reported this week.

Source: Panorama IOM June 6, 2022

Age and sex distribution		Deaths	
		n	%
Age (years)	19 and younger		
	20 to 39		
	40 to 59		
	60 to 69	2	20
	70 to 79		
	80 or older	8	80
	TOTAL	10	100
Sex	Female	4	40
	Male	6	60
	TOTAL	10	100

Figure 4: Deaths¹ in COVID-19 cases, by age group and week of death, March 8, 2020 to June 4, 2022

- From March 8, 2020 to June 4, 2022, there were 1,396 cases with a fatal outcome.
- Over one in five deaths (305) were in the 70 to 79 year age group and close to half (647 or 46.3%) were in the 80 years and older group (similar to last week).
- Six (6), or 0.4% of deaths, were reported in the age group 19 years and younger (unchanged from last week).



Source: Panorama IOM June 6, 2022

¹Death means the Panorama IOM record reported outcome-fatal.

²Due to data entry lag, deaths for this period may be under-reported and not captured in this figure.

Pre-existing Conditions

Table 6: Most common pre-existing conditions among severe COVID-19 cases in Saskatchewan, March 8, 2020 and June 4, 2022**

- During the period March 8, 2020 and June 4, 2022, there were 6,045 COVID-19 cases who were categorized as severe. Of these,
 - Over one-half of the severe cases (n = 3,112; 51.5%) had one or more pre-existing conditions listed in the case investigation record.
 - The remainder of the severe cases (n = 2,933; 48.5%) had no pre-existing condition listed in the case investigation record.

Co-morbidity	Number of severe cases with pre-existing conditions (N=3,112*)	Percent
Hypertension	1,690	54.3%
Diabetes	1,384	44.5%
Heart Disease	1,161	37.3%
Lung Disease	858	27.6%
Obesity	241	7.7%
Pregnancy	62	2.0%

Source: Panorama IOM June 6, 2022


Note - Some cases reported recently are yet to be reported in Panorama.

*Number of cases represents unique clients with severe outcome and pre-existing condition

** Severe cases indicate those cases where case investigation showed admitted to hospital and/or ICU, and/or death.

Relative Risk by Vaccination Status

Figure 5: Relative risk of hospitalization, ICU admission and death by vaccination status, Omicron wave, Saskatchewan



Source: SHA Digital Health Analytics

Unvaccinated - Individuals with no record of vaccine received or vaccinated with first dose but less than 21 days from receiving the first dose. Vaccinated with 2 doses - Individuals who have received their second dose for more than 14 days or if their third dose is less than 14 days. Vaccinated with 3 doses - Individuals who have received their third dose for more than 14 days.

Ages 12 years and older

Does not include cases with partial vaccination.

Estimates are calculated from the period December 20, 2021 to May 21, 2022

- Overall in Saskatchewan, the rates of COVID-19 hospitalization, ICU admission and deaths are higher among people who are unvaccinated than among people with two or three vaccinations.
- In each age group, rates of hospitalization, ICU admission and death are higher among unvaccinated individuals compared to those who have received two or three doses.
- Lower rates of severe outcomes in the three dose group compared to the two dose group are suggestive of the added benefits of the booster dose.
- The predominant variant during the observation period was Omicron, an indication that being fully vaccinated and boosted provides protection against the Omicron variant.
- Unvaccinated people were about six times more likely to die than people who were vaccinated with three doses when adjusted for age.

C. Sentinel Surveillance

Sentinel surveillance, or community surveillance, uses information from health-related sources that reflects human behaviour among people who become ill but who may not be lab tested or become clinically severe with an infection. For example, these individuals may visit an emergency department or call HealthLine seeking health-related advice.

Respiratory viruses detected by the provincial laboratory network in the week of May 29-June 4 were respiratory syncytial virus (RSV) 7.0%, (38/543) positive tests; enterorhinovirus (20.0%, 33/164 positive tests) and influenza (6.8% positive tests, 37/543). This compares to COVID-19 with 4.6% of tests that were positive.

The overall rate of RSV remained steady at 3.2/100,000 population, similar to 3.3/100,000 last week. The 38 positive specimens were mainly in the Far North East (37.1/100,000) and the South West (12.9/100,000) zones of the province though the virus circulated widely throughout the province. The majority, (58%) of positive RSV this week was among children aged 0 to 4 years while a quarter (24%) was in the working age group.

The overall rate of influenza decreased to 3.1/100,000 population from 5.6/100,000 last week. Of the 37 positive influenza A lab confirmations this week, 35% was among school age children (ages 5-19 years). Another 24% was among preschool children and 24% among adults 20-64 years. The highest rates of influenza A were in the Far North West (70.4/100,000 population) and the Far North East (12.4/100,000 population).

Emergency Department (ED) visits related to COVID-19-like illness (CLI)


ED visit data regarding CLI is one component of community-based respiratory illness surveillance. Visitors may access EDs as their primary health care service or come when health provider offices are closed.

Table 7: COVID-19-like illness (CLI) surveillance (rate per 1,000 visits) in emergency departments by zone and week, April 23 to June 4, 2022

COVID-like patients per 1,000 ED visits	Apr 23	Apr 30	May 7	May 14	May 21	May 28	June 4
Provincial Rate	44.6	36.4	30.3	27.5	17.0	29.6	22.3
FNW	43.3	74.8	32.5	26.7	7.2	19.9	17.2
FNC	No report	No report	No report	No report	No report	No report	No report
FNE	No report	No report	No report	No report	No report	No report	No report
NW	30.5	26.2	14.1	26.9	14.0	11.7	16.2
NC	No report	No report	No report	No report	No report	No report	No report
NE	350.6	161.3	205.9	161.3	188.1	338.2	138.6
ST	25.4	20.5	11.5	11.0	3.8	16.8	3.3
CW	277.8	108.7	39.2	170.7	26.3	113.5	152.2
CE	No report	No report	No report	No report	No report	No report	No report
RE	42.4	31.1	48.5	18.5	22.1	32.9	16.1
SW	100.0	53.6	52.6	153.8	48.4	0.0	0.0
SC	No data	0.0	0.0	0.0	0.0	0.0	0.0
SE	132.7	179.2	153.1	135.1	67.3	180.6	93.5
Preschool age 1-4 years	78.8	44.6	63.3	35.9	34.3	69.0	41.0
School age 5 -19	44.0	26.0	33.5	40.8	27.7	24.2	34.5
Working age 20-64	36.6	34.3	21.1	19.3	11.8	21.1	15.2
Seniors 65 +	46.5	45.3	34.7	34.8	14.4	38.1	21.9

Source: Emergency department surveillance data, June 6, 2022. No report: no report was submitted by the zone. No data: no data reported by ED

Figure 6: COVID-19-like illness surveillance in emergency departments, April 30 to June 4, 2022



Source: Emergency department surveillance data, June 6, 2022. CLI may present as the gradual onset of respiratory illness with fever and cough or one or more of the following – severe headache, chills, sore throat, arthralgia, myalgia, gastrointestinal disorder, prostration or shortness of breath which could be due to COVID-19.

- Nine (9) of 13 zones submitted data in the reporting week ending June 4. This week's provincial rate of 22.3 COVID-19-like illness patients per 1,000 visits was lower than the previous six-week average of 30.9/1000 visits.
- This week's rate represents 89 COVID-19-like illness patients among 3,996 visitors to the EDs.
- This week's preschool age rate of 41.0/1,000 visits was a decrease from last week (69.0/1,000 visits) and lower than the average rate of 54.3/1,000 visits over the previous six weeks. Pediatric rates can fluctuate widely week over week.
- The school age rate at 34.5/1,000 visits was higher than the average rate of 32.7/1,000 visits over the previous six-weeks.
- The working age group rate at 15.2/1,000 visits was lower than the average rate over the previous six weeks (24.0/1,000 visits).
- The seniors' age group rate at 21.9/1,000 visits this week was slower than last week (38.1/1,000 visits) and below the average rate of 35.6 /1,000 visits over the previous six weeks.

HealthLine Callers with COVID-19-like Illness (CLI)

Table 8a: Rate of callers to HealthLine with respiratory-like symptoms per 1,000 calls by integrated service area (ISA), by week ending June 5, 2022

- In the week ending June 4, of the 1,399 calls to HealthLine (811), 127 callers reported respiratory symptoms similar to COVID-19 and other common respiratory viral infections.
- The provincial rate was 90.8 callers per 1,000 calls, similar to 88.7/1,000 calls last week and below the average rate in the six weeks prior (103.1/1,000 calls) (See Table 8b).
- Rate of callers with respiratory symptoms to HealthLine can fluctuate week over week, dependent on the number of ill people making calls to 811.

Integrated Service Area	Number of callers with symptoms	Rate per 1,000 calls
North East	7	44.6
North West	6	56.1
Regina	35	94.9
Saskatoon	46	103.4
South East	16	102.6
South West	17	103.0
Saskatchewan	127	90.8

Source: HealthLine Database June 6, 2022.

Table 8b: Weekly rate trend of callers to HealthLine with respiratory-like symptoms per 1,000 calls by integrated service area (ISA)

Integrated Service Area	24-Apr	1-May	8-May	15-May	22-May	29-May	5-Jun
North East	131.9	87.9	75.6	82.5	99.3	63.6	44.6
North West	160.4	79.2	87.0	155.3	69.0	58.8	56.1
Regina	128.2	89.9	97.3	82.9	99.8	101.6	94.9
Saskatoon	126.1	116.0	143.8	104.5	110.2	96.5	103.4
South East	108.7	94.6	99.2	88.1	115.6	65.2	102.6
South West	110.4	86.1	80.0	89.6	115.1	100.0	103.0
Province	126.6	97.6	106.4	95.9	103.7	88.7	90.8

Source: HealthLine Database June 6, 2022.

Six week average is the average of rate of callers to HealthLine from April 24, 2022 to June 5, 2022

- The rate of callers to HealthLine with respiratory-like symptoms were lower this week than the previous six-week average in all the Integrated Service Areas (ISA) except South West (103.0/1,000 calls compared to 96.9/1,000 calls over the previous six weeks) and the South East ISA (102.6/1,000), higher than the previous six-week average of 95.2/1,000 calls.
- The rate of callers with viral respiratory symptoms from an ISA to HealthLine fluctuates week over week. However, calls from the Saskatoon, South East and South West ISAs have been consistently higher than the provincial rate over the past three weeks.

D. Outbreak Surveillance

Table 9: New confirmed COVID-19 outbreaks in long-term care (LTC) and other care home settings reported for the week of May 29-June 4, 2022, by zone

Surveillance Zones	# COVID-19 Outbreaks in LTC	# COVID-19 Outbreaks in care homes including personal care homes and group homes
Far North West		
Far North Central		
Far North East		
North West	3	2
North Central		
North East		
Saskatoon	1	1
Central West	1	
Central East		
Regina		
South West		
South Central		
South East		
Total	5	3

Source: Outbreak line list, PHB, extracted June 6, 2022.

*By date of first notification.

- Eight (8) confirmed new COVID-19 outbreaks in long term care facilities and care homes were reported this week.
- Five (5) outbreaks were reported in long term care facilities, two (2) in personal care homes and one (1) in a group home.

Table 10: COVID-19 outbreaks in selected high risk settings, weeks ending April 30 to June 4, 2022

High risk setting	30-Apr	7-May	14-May	21-May	28-May	4-Jun	6-week total by setting
# COVID-19 Outbreaks in LTC	10	5	8	4	2	5	34
# COVID-19 Outbreaks in personal care homes, group homes, shelters	7	5	3	2	1	3	21
Total by week	17	10	11	6	3	8	55

Source: Outbreak line list, PHB, extracted June 6, 2022

- Over the past six weeks, thirty-four (34) outbreaks occurred in long term care facilities, nine (9) in personal care homes, and twelve (12) in group homes. Twenty four (44%) of the 55 outbreaks reported in the past six weeks are ongoing.
- Figures from previous weeks may change as outbreaks reported earlier are entered to the Ministry database.

E. Immunization

Figure 7: COVID-19 immunization coverage (% population 5 years and older) by age group and zone, December 15, 2020 to June 4, 2022



Notes: Zone is based on the client's address in Panorama. People whose addresses cannot be mapped to a zone are counted only in the Saskatchewan total. The denominator used for coverage calculation is the Saskatchewan 2021 covered population (08-Jul-2021 Ministry of Health SAS version (2021 Version 1)). Completed series is defined as immunized with one dose of a one-dose vaccine or two doses of a two-dose vaccine where the minimum interval criterion is met. Booster doses are additional doses beyond the one or two-dose primary series, with the first additional dose administered 28 days or longer after primary series completion. Although certain sub-populations have been identified as requiring a three-dose primary series, they cannot be reliably identified in the Panorama immunization registry. These doses are therefore counted as booster doses. Lloydminster is in the North West zone. Some Alberta residents living in Lloydminster, AB are included in the numerator but they are not included in the denominator. This results in an overestimation of the percentage of the population immunized in the North West zone. Although proof of vaccination now allows for non-Health Canada approved vaccines (nonHCAVs), they are NOT included in the immunization coverage tables.

As of June 4, 2022:

- Of the population five years and older, 85.9% had received at least one dose and 81.0% completed a series, unchanged from the previous week.
- Among the population 12 years and older, 49.2% had received at least one booster, similar to the previous week.
- Among the population 18 years and older, 52.6% had received at least one booster, similar to the previous week.
- Among the youngest age group, five to 11 years of age, 41.9% completed their series, similar to the previous week.
- Unchanged from last week, Regina (82.9%), Saskatoon (80.5%), and North East (80.2%) are the only zones reporting over 80% of the eligible population with a completed series. All others are below 80%.

Table 11: Vaccine doses administered, by date and type of dose

Type of dose	Weekly doses - Date provided		Cumulative date provided
	May 29 to June 4	May 22 to 28 *	Dec 15, 2020 to June 4, 2022
First of two	232	215	972,410
Second of two	319	301	914,913
Jansen single dose	7	15	2,304
Total primary series doses	558	531	1,889,627
First booster **	843	841	501,331
Second booster **	4,369	5,684	120,488
Additional boosters **	207	264	2,660
Total booster doses	5,419	6,789	624,479
TOTAL (including pediatric and boosters)	5,977	7,320	2,514,106
- of the total, all pediatric doses	239	215	109,211

Source: Panorama IOM June 6, 2022

* May not necessarily align with last week's report due to data cleaning

** Booster dose is defined as a dose received after completion of a one- or two-dose primary series and meeting the minimum interval criteria. Three-dose primary series cannot be reliably identified in the Panorama immunization registry and as a consequence these third doses will be misclassified as a booster dose.

- During the week of May 29 to June 4, 2022, 5,977 doses of COVID-19 vaccine were administered, of which 239 (4%) were pediatric doses and 5,419 (90.7%) were booster doses.
- The total number of booster doses has declined compared to the previous week.
- Since the start of the immunization campaign to June 4, 2022, over 2.5 million doses of COVID-19 vaccine were administered.
- Of these, about 1.9 million (75.2%) were administered for a primary series, of which 109,211 were pediatric doses.

F. Abbreviations

General

CLI – COVID-19-like illness
 ED – emergency department
 EMS – Emergency Medical Services
 FNIHB – First Nations and Inuit Health Branch
 ICU – intensive care unit
 IOM – Investigations and Outbreak Module – Panorama
 ISA – Integrated Service Area
 ISC – Indigenous Service Canada
 LTC – long-term care
 NA – not available
 NITHA – Northern Inter-Tribal Health Authority
 OOP – out of province
 PCR – polymerase chain reaction
 PHB – Population Health Branch
 SHA – Saskatchewan Health Authority
 SK – Saskatchewan
 SNP – single nucleotide polymorphism
 SPSA- Saskatchewan Public Safety Agency
 RRPL – Roy Romanow Provincial Laboratory
 WGS – whole genome sequencing

WHO – World Health Organization

13 Zones

FNW – Far North West zone
 FNC – Far North Central zone
 FNE – Far North East zone
 NW – North West zone
 NC – North Central zone
 NE – North East zone
 ST – Saskatoon zone
 CW – Central West zone
 CE – Central East zone
 RE – Regina zone
 SW – South West zone
 SC – South Central zone
 SE – South East zone

G. Technical Notes

Case Definition and Methods Overview

Confirmed cases are people with laboratory confirmation of infection with the virus that causes COVID-19 using a Health Canada approved test or confirmed at a reference laboratory (NML or RRPL). It requires detection of at least one specific gene target by nucleic acid amplification tests (i.e., real-time PCR or nucleic acid sequencing).

Laboratory testing is reserved for priority populations at elevated risk for severe outcomes. More information on the priority populations may be found [here](#).

Statistics presented in this report represent counts and crude incidence rates for zones and aggregated to the provincial level.

Data sources are the provincially mandated Panorama database, the Roy Romanow Provincial Laboratory LabWare database, as well as local public health. Confirmed cases must meet the provincial case definition. Surveillance case definitions ensure uniform reporting to allow comparability of surveillance data. The definitions are not intended to be used for clinical or laboratory diagnosis or management of cases. Proportions are calculated using the 2021 SK covered population as the denominator.

The counts and rates presented in this summary report are dependent on the timely reporting by physicians and laboratories to the local Medical Health Officer and timely entry of notifiable disease information into Panorama IOM.

As the counts are constantly being updated, the numbers and rates calculated may differ from previous summary reports. This is a result of a combination of factors including late reporting, data cleaning and verification.

Data on COVID-19 cases use Panorama IOM as the primary source. However, in some instances when the case has not yet been entered into Panorama, the RRPL data becomes the source for the time being (e.g., age, sex, geography) until the case is eventually entered. Additionally, if certain data elements in Panorama are missing or unknown, RRPL also becomes the source to fill in the gaps where the information is available in the RRPL data.

The geographical assignment of cases follows the Panorama IOM rules for documenting geography, as opposed to the assignment of zones by RRPL. As a result, some RRPL location/geography of cases and testing information may not match Panorama IOM (testing information cannot be reconciled because negative tests are not entered into IOM). Panorama IOM geography

guidelines take into consideration the client's residence in a certain period, the residence upon diagnosis, and other factors. First Nations individuals under the jurisdiction of the First Nations and Inuit Health Branch (FNIHB) or the Northern Inter-Tribal Health Authority (NITHA) are included in the geographic areas.

Notifiable diseases are generally under-detected and underreported due to a number of factors including client's lack of contact with health care, inability to isolate organism, etc.

Rates based on small numbers may fluctuate dramatically over time and may not have public health significance.

As of February 7, 2022 RRPL PCR testing was reserved for populations deemed to be at an elevated risk for severe outcomes:

- Hospitalized patients, those admitted or transferred between acute, long-term care or personal care homes
- High-risk populations as ordered by the medical health officer: residents in long-term care, personal care homes and congregate living facilities; and international or travellers from areas of concern
- Priority symptomatic persons: health-care workers or essential workers who have a negative rapid antigen test but remain symptomatic; those with chronic illness (diabetes, history of cancer, cardiac failure, etc.)
- Symptomatic people living or working in First Nation and Métis communities
- Surgical patients with symptoms or a positive rapid antigen test if scheduled or expecting to receive surgery within the next 90 days
- Pregnant patients who are symptomatic and more than 30 weeks gestation
- Symptomatic immunocompromised individuals including all transplant donors and recipients prior to and post-transplant; all oncology patients prior to, receiving or post chemotherapy
- Newborns born to COVID-19-positive parents, prior to discharge.
- Health-care workers and workers deemed essential under the current public health order with negative rapid antigen results who remain symptomatic will be eligible for PCR tests.

In 2019/20 about one-third of the SK population aged one year and older had at least one of eight priority chronic conditions (asthma, COPD, diabetes, hypertension, heart failure, ischemic heart disease, stroke, and dementia), making about half of the population eligible for PCR testing.

Fatal Cases (Deaths) Table

- Includes all deaths entered into Panorama IOM.
- For those reported in the specified week, the deaths that were not previously reported are counted, regardless of when the death occurred.

Variants of Concern

Variant of concern (VOC) cases:

- VOCs are SARS-CoV-2 viruses that have undergone genetic modification or mutation causing in altered virus infectivity, replication and pathogenicity. As a result it can alter host immune response. The Roy Romanow Provincial Laboratory (RRPL) tests for and monitors COVID-19 variants of concern (VOCs) in Saskatchewan. Confirmation of VOC lineages is done by conducting whole genome sequencing (WGS) at RRPL or the National Microbiology Laboratory. It takes one to two weeks to complete WGS.
- Data sources for VOCs analysis include testing data from the RRPL, and epidemiological information from Panorama. Where geographical zone is missing in RRPL or Panorama data, the Saskatchewan postal code file is used to identify cases' geographical information.

Severe Case Immunization Status

- The rate of COVID-19 hospitalization, ICU admission or death by the vaccine status was obtained by summing the number of hospitalizations, ICU admissions or deaths (numerator) and dividing by the mid period population by vaccine status (denominator), multiplied by 100,000. This estimate was further divided by the number of days to obtain the daily rate.
- To eliminate bias of age, all rates are adjusted by age. Direct standardization method is employed using the Saskatchewan population as the standard population.
- Estimates of relative risk (i.e. rate ratios) are obtained by comparing vaccinated with two doses (three dose) and the unvaccinated / unprotected group.
- Age at first dose is used in this analysis. Individuals with unknown age are excluded from the age-specific analyses.
- Risk estimates may differ from other reports due to differing methodologies.

Emergency Department Visits

- Data collection from EDs: Monitoring will be done for a twenty-four hour period on at least one week day (the exact time period will vary with the ED schedule). The ED should report to local public health services in their area on Wednesday afternoon and public health will report to the Ministry of Health on Thursday each week. This may increase to include one weekend day in certain areas if CLI activity is increasing and laboratory-confirmations support the need to do so.
- The count of CLI patients in each of four broad age categories, preschool (approximately 0-4 years), school age (approx. 5-19 years), working age group (approx. 20-64 years), seniors (approx. 65 years plus) as a proportion of total ED admissions in those age categories is captured. The age group in which to place a patient is determined in part by the age groups used by the ED's administrative database. The categories are approximate but provide a general profile of the broad age groups most affected by COVID-19.
- Reporting ED surveillance information: Because there is no centralized data capture source for ED admissions in the province each health area sets up a mechanism for EDs to report to public health services.
- Public health aggregates raw data from their EDs on the prescribed data collection form and sends it to the Ministry of Health for overall provincial monitoring.
- FNIHB and NITHA will report to the local zone in which the ED or health centre is located. This does not preclude monitoring in First Nations health care facilities.

HealthLine callers with Respiratory Symptoms

- A count of protocols specific to callers with viral respiratory-like illness symptoms is completed by HealthLine nurses.
- The respiratory-like illness protocol count is tallied for a designated period each week and transformed into the rate of callers with respiratory symptoms from each zone per 1000 calls from that zone from callers with any type of symptom.

Outbreaks

- A confirmed outbreak is defined as two or more COVID-19 cases in settings outside a household where transmission is evident or there is a high level of suspicion of transmission.
- Outbreaks are reported by the week they were reported to the local public health office and not necessarily in the week that the outbreak began.
- # COVID-19 Outbreaks in LTC: number of COVID 19 outbreaks reported that occurred in a designated special care facility (LTC) (cumulative or in current reporting week).
- # COVID-19 Outbreaks in care homes: number of COVID 19 outbreaks reported that occurred in semi-closed settings where personal care is provided. This includes designated homes where the elderly reside or homes for the developmentally challenged (cumulative or in current reporting week). It also includes homes where residents are under the care of social services and in shelters.

H. Map of Saskatchewan by Zone and Sub-Zone

